# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



Thomas B. Meehan J. Franklin Meehan S. Mendelson Meehan Founded 1854 by Thomas Meehan

# Thomas Meehan & Sons

WHOLESALE NURSERYMEN

U.S. TREE SEEDSMEN

# TRADE LIST SPRING, 1914



Tilia Americana, American Linden This Catalogue cancels all previous Price Lists Prices Net No Discounts

WHOLESALE DEPARTMENT

Dresher P. O., Penna.

Bell Telephone, Ambler 226 A

Western Union, Ambler, Pa.

275 ACRES

## TRADE LIST

#### Spring, 1914

CUSTOMERS are requested to state the mode of conveyance by who they desire their trees forwarded, When no route is named, we forward to the best of our judgment, without liability for error or delay.

**RESPONSIBILITY.**—After goods are placed on board cars here, we assume no responsibility for their safe or prompt delivery, or any injury caused by delay in delivery by the transportation company.

ALL CLAIMS must be made upon receipt of goods.

TERMS CASH, on or before delivery to express or railroad agents, unless by special arrangement.

Two hundred and fifty, twenty-five or five of any one variety will be furnished by the thousand, hundred and ten rates, respectively, but single plants of one or more varieties will not be sold at less than 15 cents each, except Vines and Herbaceous Plants, the mimimum price of which will be 10 cents each.

PACKING CHARGED EXTRA, but only sufficient to cover cost of time and material consumed in the work.

POST OFFICE ORDERS payable at Dresher P. O., Montgomery County, Penna.

WESTERN UNION TELEGRAPH, AMBLER, PA. Use Nurserymen's Telegraphic Code or "A B C" Code, 4th edition.

VISITORS are always welcome and should take train at the Reading Terminal, 12th and Market Streets, Philadelphia, for Camp Hill Station, or at Broad Street Station, Pennsylvania R. R., for Fort Hill Station. Be sure that the train stops at these stations.

**NOTICE.**—It is necessary that you should **TELEPHONE** us (Bell Phone, 226-A Ambler; Keystone Phone, Jenkintown 652-Y), in advance of your coming, so that we can send a carriage to the station for you. Our office is  $2\frac{1}{2}$  miles from either station.

#### CERTIFICATE OF INSPECTION

Our nurseries are inspected several times each year, by inspectors of the Entomological Division of the Department of Agriculture of the State Pennsylvania, and are free from insect pests and diseases. A certificate the Department is attached to all shipments, and will also be furnished customers if desired.

## Deciduous Trees

Several years ago we realized that there would shortly be a demand for a better grade of shade trees than were being commonly sold in nurseries at that time. With this idea in mind we commenced transplanting large blocks of all varieties, selecting only nice, straight, first-class trees for the purpose, discarding any crooked or ill-shaped stock. Time has proven the wisdom of our foresight, and while the demand for this class of stock has been greater than our expectation, our supply has been sufficient to meet the demand, and though our sales last year on these trees were very heavy, we again have a good supply on hand for this season's sales.

Our object is to grow a first-class tree, well rooted, with straight trunk and a nice top, and we spare no expense to produce a tree of this character. All crooked trees are discarded. Every tree we send out is a good tree. We stake all of our trees with long bamboo poles, and in that way we get a not only a perfectly straight trunk, but a stem right to the top of the tree. This should be kept in mind when comparing our prices with the "cheap" trees usually offered.

|      |  | Per 10   | Per 100 |
|------|--|----------|---------|
| Acer | campestre, English Cork Maple            |          |         |
|      | 2 to 3 ft                                | . 1 75   | 15 00   |
|      | 3 to 4 ft                                | . 2 50   | 20 00   |
|      | 4 to 5 ft                                |          | 30 00   |
|      | 6 to 8 ft                                | . 5 00   |         |
| "    | dasycarpum, (eriocarpum) Silver Maple    |          |         |
| 31   | $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal | . 3 50   | 35 00   |
|      | $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal |          | 45 00   |
|      | 1¾ to 2 in. cal                          |          | 20 00   |
|      | 2 to 2½ in. cal                          |          |         |
| **   | dasycarpum pyramidalis, Pyramidal Silv   | or Manl  | 3       |
|      | 5 to 6 in. cal                           |          | 5       |
| "    | dasycarpum Wieri, Wier's cut-leaved Ma   | anla     |         |
|      | 1¼ to 1½ in. cal                         |          |         |
|      | 1½ to 1¾ in. cal                         |          |         |
|      |  |          |         |
|      | 1¾ to 2 in. cal                          |          |         |
|      | 2 to 2¼ in. cal                          | . 15 00  |         |
| 46   | Negundo, Ash-leaved Maple, Box Elder     |          |         |
|      | 4 to 6 ft                                |          |         |
|      | 6 to 8 ft                                | . 2 00   | 18 00   |
| 66   | Pennsylvanicum (striatum) Striped Map    | le, Moos | ewood   |
|      | 4 to 5 ft                                |          |         |
| 1    | 5 to 6 ft                                | . 5 00   |         |
|      | 6 to 7 ft                                |          |         |
|      |  |          |         |

|    |  | Per 10   | Per 100  |
|----|--|--|--|
| "  | platanoides, Norway Maple<br>8 to 10 ft. 1 to 1¼ in. cal | 3 50   | 35 00  |
|    | 1½ to 1½ in. cal   | 6 00   | 60 00  |
|    | 1½ to 1¾ in. cal   | 10 00  | 175 00   |
|    | 2½ to 2½ in. cal   | $\begin{array}{c} 17 \ 50 \\ 22 \ 50 \end{array}$    | $175 00 \\ 225 00$                                   |
|    | 2½ to 2¾ in. cal   | $\begin{array}{c} 22 & 30 \\ 25 & 00 \end{array}$    | 250 00   |
|    | 3 to 3½ in. cal  | 30 00  | 300 00   |
|    | 3½ to 4 in. cal  | 35 00  | 000 00   |
| 46 | platanoides Reitenbachi, Purple-leaved N                 |  | Iaple  |
|    | 1¾ to 2 in. cal  | $\begin{array}{cc} 15 & 00 \\ 20 & 00 \end{array}$   |  |
|    | $2$ to $2\frac{1}{4}$ in. cal                            | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |  |
|    | 2½ to 2¾ in. cal   | 30 00  |  |
| 46 | platanoides Schwedleri, Schwedler's purp                 |  |  |
|    | 8 to 10 ft. 1 to $1\frac{1}{4}$ in. cal                  |  | 75 00  |
|    | $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal                 | 10 00  |  |
|    | 1½ to 1¾ in. cal   | 15 00  |  |
|    | 1¾ to 2 in. cal  | 17 50  |  |
|    | 2½ to 2¾ in. cal   | $\begin{array}{ccc} 25 & 00 \\ 30 & 00 \end{array}$  |  |
|    | 2¾ to 3 in. cal  | 35 00  |  |
|    | 3 to 3½ in. cal  | $\frac{35}{40} \frac{00}{00}$                        |  |
|    | 3 to $3\frac{1}{2}$ in. cal. specimen                    | 10 00  |  |
| "  | Pseudo-platanus, Sycamore Maple                          | 15 00  |  |
|    | 2½ to 2¾ in. cal   | $\frac{15}{17}$ $\frac{00}{50}$                      |  |
|    | $2\frac{3}{4}$ to $3$ in. cal                            | 17 50  |  |
|    | 3 to $3\frac{1}{2}$ in. cal                              |  |  |
| 44 | Pseudo-platanus purpureum, Purple-leaved                 | 1  |  |
|    | 2½ to 2½ in. cal   | 17 50  |  |
|    | 2½ to 2¾ in. cal   | 20 00  |  |
|    | 23/4 to 3 in. cal  | $\frac{22}{2}$ 50                                    |  |
|    | 3 to 3½ in. cal  | $\frac{25}{20}$ 00                                   |  |
| 1  | 3½ to 4 in. cal  | 30 00  |  |
|    | 4 to 5 in. cal   | 35 00  |  |
| 44 | rubrum, Red or Scarlet Maple                             | 9.00   | 9F 00  |
| ,  | 3 to 4 ft  | 3 00   | $\begin{array}{cccc} 25 & 00 \\ 50 & 00 \end{array}$ |
| 1  | 6 to 8 ft  | $\begin{array}{c} 5 & 00 \\ 13 & 50 \end{array}$     | 90 VV  |
|    | 2 to $2\frac{1}{2}$ in. cal                              |  |  |
|    | 2½ to 3 in cal   | $\frac{17}{25} \frac{30}{00}$                        |  |
|    | 3 to 4 in. cal   | 20 00  |  |
| "  | saccharum, Sugar or Rock Maple                           | 10.00  | 100 00   |
|    | 1½ to 1½ in. cal   | $\begin{array}{c} 10 & 00 \\ 12 & 50 \end{array}$    | 125 00   |
|    | 1½ to 1¾ in. cal   | 15 00  | 150 00   |
|    | 1¾ to 2 in. cal  | 19 00  | 100 00   |
| 16 | saccharum nigrum, Black Sugar Maple                      | . 12 50  |  |
|    | 11/6 to 13/4 in. cal                                     | $12\ 00$   |  |
|    | 1¾ to 2 in. cal  |  |  |
|    | 2 to 2¼ in. cal  | 20 00  |  |
|    | 2½ to 2½ in. cal   | . 22 50  |  |
| "  | spicatum Mountain Maple                                  |  | 0  |
|    | 9 to 3 ft  | 250  | 22 00  |
|    | 3 to 4 ft  | . 350  | 30 00  |
|    | 4 to 5 ft  | 500  |  |
| "  | striatum, See Pennsylvanicum                             |  |  |
| ** | Tatanioum Ginnala  |  |  |
|    | 2 to 3 ft  | . 1 50   |  |
|    | 2 00 0 x0 11111111                                       |  | - (  |

### Japanese Maples

Why buy cheap imported Japanese Maples, hide-bound stock, poorly rooted, varieties badly mixed up and untrue to name, when you can buy healthy American-grown plants well rooted, vigorous and well-developed tops, guaranteed true to name and at a price very little higher than the imported stuff. All of our Japanese Maples are propogated in our nurseries and are guaranteed true to name.

|      |   | Per 10    | Per 100   |
|------|---|-----------|-----------|
| Acer | Japonicum, Green-leaved                 |           |           |
|      | 3 to 4 ft                               | 15 00     |           |
|      | 4 to 4½ ft                              | 20 00     |           |
|      | 4½ to 5 ft                              | 22 50     |           |
|      | 5 to 5½ ft                              | 25 00     |           |
|      | 5½ to 6 ft                              | 27 50     |           |
|      | 6 to 8 ft                               | 30 00     |           |
|      |   |           |           |
| 46   | Japonicum aconitifolium, Green-leaved   |           | `,        |
|      | 3 to 4 ft                               | 17 50     |           |
|      | 4 to 5 ft                               | $22 \ 50$ |           |
| "    | Japonicum palmatum, Green-leaved        |           |           |
|      | 3 to 4 ft                               | 15 00     |           |
|      | 4 to 4½ ft                              |           |           |
|      | 4½ to 5 ft                              |           |           |
|      | 5 to 6 ft                               |           |           |
|      | 5 to 0 1t                               | 25 00     |           |
| "    | polymorphum, Green-leaved               |           |           |
|      | 2 to 3 ft                               | 6 50      |           |
|      | 3 to 4 ft                               | 10 00     |           |
|      | 4 to 5 ft                               |           |           |
|      | 5 to 6 ft                               | 20 00     |           |
| "    |   |           |           |
| ••   | polymorphum Ampelopsilobum, Green-lea   |           |           |
|      | 2 to 3 ft                               | 10 00     |           |
|      | 3 to 4 ft                               |           |           |
|      | 4 to 5 ft                               | 20 00     | -         |
| 44   | polymorphum atropurpureum, Blood-leave  | ď         |           |
|      | 2 to 2½ ft                              |           |           |
|      | 2½ to 3 ft                              |           |           |
|      | 3½ to 4 ft                              |           |           |
|      | 4 to 4½ ft                              |           |           |
|      | 4½ to 5 ft                              |           |           |
|      | 5 to 6 ft                               |           |           |
|      |   |           |           |
| **   | polymorphum dissectum, Green cut-leaved |           |           |
|      | 2 to 3 ft                               |           |           |
|      | 3 to 4 ft                               |           |           |
| !    | 4 to 4½ ft                              |           |           |
|      | 4½ to 5 ft                              |           |           |
| ,    | 5 to 5½ ft                              | 50 00     | 1         |
| "    | polymorphum dissectum atropurpureum, I  | Purple ci | ut-leaved |
|      | 2 to 2½ ft                              |           |           |
|      | 2½ to 3 ft                              |           |           |
|      | 3½ to 4 ft                              |           |           |
|      | 4 to 4½ ft                              |           | -         |
|      | 5 to 6 ft                               |           | )         |
|      |   |           |           |

| Acer (cont.)  " polymorphum reticulatum, Green and yello leaved | er<br>w                 | 10 ]<br>vari    | Per<br>ega       | 100<br>ted |
|---|-------------------------|-----------------|------------------|------------|
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$            | 17                      | 50<br>50        |                  |            |
| 01/ / 4 0:  |                         | $\frac{00}{50}$ |                  | i.         |
| " polymorphum sanguineum, Purple-leaved                         |                         |                 |                  |            |
| 18 to 24 in   |                         | 00              |                  |            |
|   |                         | $\frac{50}{00}$ |                  |            |
|   |                         | 00              |                  |            |
| Aesculus flava and rubra, see Pavia                             |                         |                 |                  |            |
| Aesculus glabra, (Pavia glabra) Ohio Buck-eye                   |                         |                 |                  |            |
| 3 to 4 ft   |                         | .00             |                  |            |
| " Hippocastanum, European Horse Chestnut                        | 1                       | ,00             |                  |            |
| 8 to 10 ft. 1¼ to 1½ in. cal                                    |                         | 50              |                  |            |
|   | 17                      |                 |                  |            |
|   | $\frac{20}{25}$         |                 |                  |            |
| $3\frac{1}{2}$ to 4 in. cal                                     | 30                      | 00              |                  |            |
| 4 to 5 in. cal  | 35                      | 00              |                  |            |
| " Hippocastanum alba plena, Double white flow                   |                         |                 |                  |            |
| 6 to 8 ft   | 7                       | $\frac{50}{50}$ |                  |            |
|   | 10                      |                 |                  |            |
| /- / <del>-</del>   | 15                      |                 |                  |            |
|   | 17<br>20                |                 |                  |            |
| 3 to 3½ in. cal   | 25                      | 00              |                  |            |
| . , =   | 30<br>10                |                 |                  |            |
| " Hippocastanum Briotti, Red flowering Hor                      | -                       |                 | atnı             | 14         |
| 6 to 7 ft   | 0                       |                 | Still            | 16         |
| 10 to 12 ft., 2 to $2\frac{1}{2}$ in. cal                       | 25                      | 00              |                  |            |
| Ailanthus glandulosa, (Japonica) Tree of Heaven                 |                         |                 |                  |            |
| 2 to 3 ft   | 1                       |                 | $\frac{12}{15}$  |            |
| 3 to 4 ft   | $\frac{1}{2}$           |                 | 20               |            |
| 8 to 10 ft  | 5                       | 00              |                  |            |
| Amygdalus Persica, See Prunus Persica, shrub se                 | cti                     | on              |                  |            |
| Andromeda arborea, See Oxydendron                               |                         |                 |                  |            |
| Aralia, See shrub section                                       |                         |                 |                  |            |
| Betula alba, European White Birch                               |                         |                 |                  |            |
| 3 to 4 ft   | $rac{1}{2}$            |                 | 13<br><b>2</b> 5 |            |
| 8 to 10 ft  | 3                       |                 | 35               |            |
| 10 to 12 ft   | 5                       | 00              | <b>50</b>        | 00         |
| " alba atropurpurea, Purple-leaved Birch 3 to 4 ft.             | 5                       | 00              |                  |            |
| " alba laciniata, Cut-leaved weeping White Bi 6 to 8 ft.        | $rac{{f r}{ m cl}}{5}$ | h<br>00         |                  |            |

| Betula (Cont.) " alba pyramidalis, Pyramidal White Birch   | Per 10  | Per 100  |
|--|---|--|
| 4 to 5 ft  | 5 (<br>6 5  |  |
| " lenta, Sweet, Cherry or Black Birch 3 to 4 ft. 4 to 6 ft. 6 to 8 ft. 10 to 12 ft.  | 2 (<br>3 (<br>4 (<br>7 5                              | )0<br>)0   |
| " papyrifera (papyracea) Paper or Canoe B: 4 to 6 ft. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft.                                    | irch<br>3 (<br>4 (<br>5 (<br>7 5                      | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| " populifolia, Poplar or American White Bi 5 to 6 ft   | rch<br>3 (<br>3 5<br>5 (<br>7 5                       | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Carpinus, Hornbeam, See shrub section Catalpa Bungei, Standards  1 year heads, 6 ft. stem  2 year heads, strong, 6 ft. stems | 6 0<br>7 5  |  |
| " speciosa, Western Catalpa 3 to 4 ft. 4 to 6 ft. 2½ to 2½ in. cal. 2½ to 2¾ in. cal. 2¾ to 3 in. cal.                       | 1 2<br>1 5<br>10 0<br>12 5<br>15 0                    | 13 00<br>00<br>00                                    |
| Cedrela Sinensis         4 to 6 ft.         6 to 8 ft.         8 to 10 ft.         10 to 12 ft.                              | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Cerasus Avium alba fl. pl. Double white flowering 4 to 5 ft.   | ng Ch<br>5 0  |  |
| " Avium rosea fl. pl. Double pink flowering 4 to 5 ft  | $_{5\ 0}^{\mathrm{Cher}}$                             |  |
| " Japonica rosea pendula, Weeping rose flow 2 year heads   | 7 5   | 0  |
| Cercidiphyllum Japonicum           4 to 6 ft.           6 to 8 ft.           8 to 10 ft. bush form                           | 7 5   | 0 60 00  |
| Cercis Canadensis and Japonica, see shrub see  | tion  |  |

Cornus florida, see shrub section

Ľ.,

| Cladrastis tinctoria (Virgilea)                                   | Per 10   | Per 100 |
|---|--|---------|
| 6 to 7 ft   | 7 50   | )       |
| Crataegus, see shrub section                                      |  |         |
| Cytissus Laburnum, see shrub section                              |  |         |
| Dimorphanthus Mandshurica, see shrub section                      | า  |         |
| Fagus sylvatica, European Beech 5 to 6 ft                         | 6 06   |         |
| 6 to 7 ft   | 6 06<br>7 50   |         |
| " sylvatica pendula, Weeping Beech 4 to 5 ft                      | 0.00   |         |
| 5 to 6 ft   | 6 00<br>7 50   |         |
| " sylvatica River's Blood-leaved 4 to 5 ft                        | 7 50   | `       |
| 5 to 6 ft   | 10 00  |         |
| Fraxinus Americana, White Ash 6 to 8 ft                           | 2 50   | 20 00   |
| 8 to 10 ft  | 3 00   | 25 00   |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal                          | 5 00   | 50 00   |
| 1¾ to 2 in. cal   | 10 00  | 100 00  |
| " excelsior, English Ash $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal | 7 50   | )       |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal                          | $10 00 \\ 12 50$                                     |         |
| 2 to 2¼ in. cal   | 15 00  | )       |
| 2½ to 2¾ in. cal  | $\frac{17}{20} \frac{50}{00}$                        |         |
| " pubescens (Pennsylvanica) Red Ash                               |  |         |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal                          | $\begin{array}{c} 7 & 50 \\ 12 & 50 \end{array}$     |         |
| $2$ to $2\frac{1}{4}$ in. cal                                     |  |         |
|   | 20 00  |         |
| " viridis (lanceolata) Green Ash 4 to 6 ft                        | 1 25   | 10 00   |
| 6 to 8 ft   | $\frac{1}{3} \frac{50}{50}$                          |         |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal                          | 5 00   | )       |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$              | $\begin{array}{c} 6 & 00 \\ 12 & 50 \end{array}$     |         |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal                          | 15 00 $17 50$  |         |
| Ginkgo, see Salisburia  |  |         |
| Gleditschia triacanthos, Honey Locust                             |  |         |
| 4 to 6 ft   | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |         |
| 8 to 10 ft  | 5 00<br>8 50   | 50 00   |
| 1½ to 1½ in. cal  | 10 00  |         |
| See Price List of Specimen Trees, Pag                             | e 16.  |         |

| P   | er :  | 10                                      | Per 1  | 100  |
|---|---|---|--|--|
| Gymnocladus Canadensis (dioica)       Kentucky Coff         4 to 6 ft.       6 to 8 ft. <t< td=""><td><math>\begin{array}{c} 2 \\ 3 \\ 4 \\ 7 \\ 10 \\ 15 \end{array}</math></td><td>Tre 50 50 00 50 00 00 00</td><td></td><td>00<br/>00<br/>00<br/>00</td></t<> | $\begin{array}{c} 2 \\ 3 \\ 4 \\ 7 \\ 10 \\ 15 \end{array}$ | Tre 50 50 00 50 00 00 00                |  | 00<br>00<br>00<br>00                         |
| Juglans nigra, Black Walnut         3 to 4 ft.         4 to 6 ft.         6 to 8 ft.  | 2   | 75<br>50<br>50                          | $15 \\ 20 \\ 25$   | 00   |
| " regia, English Walnut, Madeira Nnt 4 to 6 ft  |   | 50<br>00                                | 30   | 00   |
| Koelreuteria paniculata, Varnish Tree         3 to 4 ft.         4 to 5 ft.         5 to 6 ft.  | 2   | $00 \\ 50 \\ 50$                        |  |  |
| Laburnum vulgare, see Cytissus, shrub section   |   |   |  |  |
| Larix Europaea (decidua) European Larch 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 6 to 8 ft.   | $\frac{2}{3}$   | 50<br>00<br>50<br>00                    | 18<br>30<br>40   | 00   |
| " leptolepis (Kaempferi) Japanese Larch 2 to 2½ ft  | $7\\12$   | $\begin{array}{c} 50 \\ 50 \end{array}$ |  |  |
| Liquidambar styraciflua, Sweet Gum 6 to 8 ft. 8 to 10 ft. 1½ to 1½ in. cal. 1½ to 1¾ in. cal. 1¾ to 2 in. cal. 2 to 2¼ in. cal. 2½ to 2½ in. cal. 2½ to 2½ in. cal. 3½ to 3 in. cal. 3 to 3½ in. cal. 3 to 3½ in. cal.  | 6   | 50<br>00<br>50<br>00                    | 40<br>50<br>60<br>85<br>100<br>125<br>150<br>175<br>200<br>250 | 00<br>00<br>00<br>00<br>00<br>00<br>00<br>00 |
| IMPORTANT:—Read Liquidambar announcement  | nt  | Pag                                     | e eig  | ht.  |
| Magnolia acuminata, Cucumber Tree         2 to 3 ft.         3 to 4 ft.         6 to 8 ft.         8 to 10 ft.         " glauca, (Virginiana) Sweet or Swamp Magnon 18 to 24 in., with ball         2 to 3 ft., with ball   | 3<br>5<br>7<br>nol:   | 50<br>00<br>00<br>50<br>ia<br>50        |  |  |
| Magnolias continued on Page nine.   |   |   |  |  |
| See Price List of Specimen Trees, Page  | 16.   |   |  |  |

## An Important Innovation

If you knew that you could get Sweet Gums, a hardy strain, grown from seeds collected as far north as Philadelphia, and get 90 to 95 out of every 100 to grow, would it interest you?

That is the proposition we are making to you.


The great objection planters make to using the Sweet Gum is the difficulty in getting it to grow. It is the most

beautiful tree in cultivation, adapted to all landscape work and a magnificent tree for street, avenue, and boulevard planting. It thrives particularly well as a shade tree in city streets and would be largely used, if it could be transplanted as successfully as other shade trees.

We have a method by which we can dig our Sweet Gum with a solid ball of earth, just as choice evergreens are successfully handled, and which will insure your getting from 90 to 95 per cent. to grow. The photograph shows one of our trees dug and burlap balled.

When ordering trees be sure to say if you want them balled, as we also offer them dug without ball at regular list price.

Cost of packing trees in bales or boxes would be additional. If sufficient quantities are taken to warrant shipping in bulk in car, the freight would be less, and there would be no charge made for packing in the car.



Illustrates how we Ball and Burlap Sweet Gums

#### PRICE FOR TREES BALLED AND BURLAPPED


|  | Per 10    | Per 100    |
|--|-----------|------------|
| 6 to 8 ft                                | <br>8 50  | 75 00      |
| 8 to 10 ft                               | <br>10 50 | $90 \ 00$  |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal | <br>12 50 | 105 00     |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal | <br>15 00 | $135 \ 00$ |
| 1¾ to 2 in. cal                          | <br>18 00 | $155 \ 00$ |
| 2 to $2\frac{1}{4}$ in. cal              | <br>21 00 | $185 \ 00$ |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal | <br>24 00 | $215 \ 00$ |
| $2\frac{1}{2}$ to $2\frac{3}{4}$ in. cal | <br>27 00 | 245 00     |
| 2¾ to 3 in. cal                          | <br>30 00 | 275 00     |
| 3 to $3\frac{1}{2}$ in. cal              | <br>35 50 | 330 00     |
| $3\frac{1}{2}$ to 4 in. cal              | <br>38 50 |            |

## **MAGNOLIAS**

#### Large Flowered Chinese Varieties

|  | Per                                     | 10  | Per 100 |
|--|---|-----|---------|
| Magnolia Alexandrina, White, pink centre 5 to 6 ft., with ball | 15                                      | ΛΛ  |         |
| " Lennei, Large purple flowered                                | 19                                      | 00  |         |
| 2 to 3 ft., with ball  | 10                                      | 00  |         |
| 3 to 4 ft., with ball  |   |     |         |
| " purpurea (obovata) Purple                                    |   |     |         |
| 2 to 3 ft., clumps, with ball                                  | 6                                       |     |         |
| 3 to 4 ft., clumps, with ball<br>4 to 5 ft., clumps, with ball | 8                                       |     |         |
|  | 10                                      | 00  |         |
| Soulangeana, Large plink nowered                               | 10                                      | ΛΛ  |         |
| 3 to 4 ft., with ball  | 10                                      | 00  |         |
| " speciosa, Early pink flowered                                | 10                                      | 00  |         |
| 3 to 4 ft., with ball  | $\begin{array}{c} 10 \\ 13 \end{array}$ |     |         |
| 5 to 6 ft., with ball  | $\frac{15}{15}$                         |     |         |
| " stellata (Halleana) Hall's white star flower                 | red                                     |     |         |
| 2 to 3 ft., with ball  | 12                                      | 50  |         |
| Malus coronaria (Pyrus) Sweet scented Crab                     |   | •   |         |
| 4 to 5 ft  | 4                                       | 00  | 35 00   |
| " floribunda atrosanguinea, Pink flowering                     | -                                       | 0.0 | 00 0    |
| 4 to 5 ft  | 3                                       | 50  |         |
|  | Ŭ                                       | 00  |         |
| " loensis, Bechtel's double flowering 2 to 3 ft                | 3                                       | 00  |         |
| 3 to 4 ft  |   | 50  |         |
| 4 to 5 ft  | 4                                       | 00  |         |
| " Scheideckeri, Pink flowering Crab                            |   |     |         |
| 4 to 5 ft  | 3                                       | 50  |         |
| Morus Tatarica Tea's Weeping, Mulberry                         |   |     |         |
| 3 year heads   |   | 50  |         |
| 4 year heads   | 12                                      | 50  |         |
| Negundo, see Acer Negundo                                      |   |     |         |
| Ostrya Virginica, Iron Wood                                    |   |     |         |
| 3 to 4 ft  |   | 50  | 35 ()1  |
| 4 to 5 ft  |   | 00  |         |
| 5 to 6 ft  |   | 00  |         |
| Oxydendron arboreum (Andromeda) Sorrel-tree                    |   | 00  | 30 09   |
| 4 to 5 ft  |   | 50  | 00 01   |
| Paulownia imperialis, Empress Tree                             |   |     |         |
| 2 to 3 ft  |   | 00  | 20.00   |
| 3 to 4 ft  |   | 00  | 30 00   |
| Pavia flava (octangra) Yellow Buck-eye                         | 7                                       | 00  |         |
| 4 to 6 ft  | 6                                       | 50  |         |
| " Macrostachya, Dwarf Horse Chestnut                           |   |     |         |
| 2 ft   | 3                                       | 50  |         |
| " rubra, Pink flowered Buck-eye 6 to 8 ft                      | 7                                       | 50  |         |
|  |   |     |         |
| See Price List of Specimen Trees, Pag                          | e 16.                                   | 1   |         |

|  | Per 10        | Per 100       |
|--|---------------|---------------|
| Platanus orientalis, European Sycamor    | re, Plane     |               |
| 6 to 8 ft                                | $\dots 250$   | <b>25 0</b> 0 |
| 8 to 10 ft                               |               |               |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal |               |               |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal |               |               |
| $1\frac{3}{4}$ to $2$ in cal             |               |               |
| 2 to $2\frac{1}{4}$ in. cal              |               |               |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal | $\dots 22 50$ |               |



#### Platanus Orientalis European Plane or Sycamore

One of the fastest growing shade trees, in great demand for street planting. It makes a large tree of regular growth of top. We have a lot of very fine trees in the sizes quoted in catalogue. Our trees have straight trunks, and are mostly branched five to seven feet from the ground, according to the size of the tree offered.

|  | Per 10    | Per 100   |
|--|-----------|-----------|
| Populus alba Bolleana, Bolle's Silver Poplar |           |           |
| 4 to 6 ft                                    | 1 75      | 15 00     |
| 6 to 8 ft                                    | $2\ 25$   | $20 \ 00$ |
| 8 to 10 ft                                   | 3 00      | $25 \ 00$ |
| 1¼ to 1½ in. cal                             |           | 35 00     |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in cal      |           | $50 \ 00$ |
| $1\frac{3}{4}$ to $2$ in. cal                |           | $75 \ 00$ |
| 2 to 2¼ in. cal                              |           | 100 00    |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ in cal      |           | 135 00    |
| $2\frac{1}{2}$ to $2\frac{3}{4}$ in cal      |           | 150 00    |
| $2\frac{3}{4}$ to $3$ in. cal                |           | 175 00    |
| 3 to 3½ in. cal                              |           |           |
| 3½ to 4 in. cal                              |           |           |
| 4 to 5 in. cal                               | $35 \ 00$ |           |
|  |           |           |
| " nigra fastigiata (Italica) Lombardy Popla  | ır        |           |
| $1\frac{1}{2}$ to 2 in. cal                  | $7 \ 50$  |           |
| 2 to $2\frac{1}{2}$ in. cal                  | 10 00     |           |


| Populus (cont.) " monilifera (deltoides) Carolina Poplar   | Per 10  | Per 100                                     |
|--|---|---|
| 1½ to 1¾ in. cal.  1¾ to 2 in. cal.  2 to 2¼ in. cal.  2½ to 2½ in. cal.  2½ to 2¾ in. cal.  2½ to 3 in. cal.  3 to 3½ in. cal.  3 to 4 in. cal.                                   | 3 50<br>5 00<br>7 50<br>10 00<br>12 50<br>15 00             |   |
| Prunus Pissardi, see shrub section   |   |   |
| Pyrus Bechtel's and other flowering Apples, se   | e Malus   | ,   |
| Quercus bicolor (platanoides)       Swamp White C         4 to 6 ft.          6 to 8 ft.          8 to 10 ft.          4 to 5 in. cal., specimen          5 to 6 in. cal. specimen | 5 00<br>7 50<br>10 00<br>40 00                              | 60 00<br>100 00                             |
| " coccinea, Scarlet Oak 4 to 6 ft. 6 to 8 ft. 8 to 10 ft. 1½ to 1½ in. cal. 1¾ to 2 in. cal. 2 to 2¼ in. cal. 2½ to 2½ in. cal. 3 to 3½ in. cal.                                   | 7 50<br>8 50<br>10 00<br>15 00<br>17 50<br>20 00            | 50 00<br>75 00<br>85 00<br>100 00<br>150 00 |
| " falcata (digitata), Spanish Oak 4 to 6 ft  | 7 50<br>10 00   |   |
| 2 to 3 ft.<br>3 to 4 ft.<br>4 to 6 ft.   | $\begin{array}{ccc} 3 & 50 \\ 5 & 00 \\ 7 & 50 \end{array}$ |   |
| 3 to 4 ft. 4 to 6 ft. 6 to 8 ft. 1½ to 1½ in. cal. 1½ to 1¾ in. cal. 1½ to 2 in. cal. 2 to 2¼ in. cal. 2¼ to 2½ in. cal. 2¼ to 3¼ in. cal.   | 4 00<br>6 00<br>7 50<br>10 00<br>12 50<br>15 00<br>20 00    | 25 00<br>35 00                              |
| " nigra (Marilandica) Black Jack Oak 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 6 to 8 ft.   | $\begin{array}{ccc} 3 & 00 \\ 3 & 50 \end{array}$           | 20 00<br>25 00                              |
| " obtusiloba (minor) Post Oak 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 6 to 8 ft. 1½ to 1½ in. cal. 1½ to 1¾ in. cal. 1¾ to 2 in. cal.   | 3 00<br>3 50<br>5 00<br>10 00<br>12 50                      | 20 00<br>25 00                              |

| Quercus (cont.) " palustris, Pin Oak .  | Per 10  | Per 100                                 |
|---|---|---|
| 4 to 6 ft. 6 to 8 ft. 1½ to 1½ in. cal. 1¾ to 2 in. cal. 2 to 2¼ in. cal. 2½ to 2½ in. cal. 2½ to 2½ in. cal.                                 | 7 50<br>10 00<br>15 00<br>17 50<br>20 00                      | 75 00<br>100 00<br>150 00<br>175 00     |
| " Phellos, Willow Oak 1¾ to 2 in. cal   | 15 00   |   |
| " Prinus (montana) Rock Chestnut Oak 6 to 8 ft 8 to 10 ft   |   |   |
| " Robur pyramidalis, Pyramidal English O<br>8 to 10 ft  |   |   |
| " rubra, Red Oak 4 to 6 ft. 6 to 8 ft. 1½ to 1½ in. cal. 3 to 3½ in. cal. 3½ to 4 in. cal.  | $\begin{array}{ccc} 7 & 50 \\ 10 & 00 \\ 30 & 00 \end{array}$ | 75 0 <b>0</b>                           |
| " tinctoria (velutina) Black Oak 3 to 4 ft. 4 to 6 ft. 1½ to 1½ in. cal. 1½ to 1¾ in. cal. 1¾ to 2 in. cal. 3 to 3½ in. cal. 3½ to 4 in. cal. | 3 50<br>10 00<br>12 50<br>15 00<br>25 00                      |   |
| Robinia psuedo-acacia, Yellow or Black Locust         2 to 3 ft.          3 to 4 ft.          4 to 5 ft.                                      | 1 25  | 10 00                                   |
| Salisburia adiantifolia (Ginkgo biloba) Maider $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal   | 12 50   |   |
| Salix Babylonica, Babylonian Weeping Willow 6 to 8 ft 8 to 10 ft 10 to 12 ft  | $\begin{array}{ccc} 2 & 50 \\ 3 & 50 \end{array}$             | <b>35</b> 0 <b>0</b>                    |
| " Babylonica aurea pendula, Golden Weep:  |   |   |
| " pentandra (laurifolia) Laurel-leaved Wil 3 to 4 ft  | low<br>1 50   | 12 00                                   |
| " regalis, White-leaved Willow 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. " rosmarinifolia (incana petiolaris) Rosems 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  | 1 75<br>2 25<br>ary Wil<br>1 50<br>1 75                       | 15 00<br>20 00<br>low<br>12 00<br>15 00 |
|   | 10  |   |



Tilia Europaea, European Linden.

| Salix (cont.)   | Per 10  | Per 100 |
|---|---|---------|
| " vitellina aurea, Golden-barked Willow 3 to 4 ft   | $\begin{array}{ccc} 1 & 50 \\ 2 & 50 \\ 3 & 50 \end{array}$ | 20 00   |
| " vitellina Britzensis, Red-barked Willow 3 to 4 ft   | 1 50  | 12 00   |
| Sophora Japonica, Pagoda Tree           3 to 4 ft.           4 to 6 ft.                                     | 3 00<br>5 00  |         |
| Sorbus Americana (Pyrus Americana)         Americana (6 to 8 ft.           8 to 10 ft.         10 to 12 ft. | $\begin{array}{c} 7 & 50 \\ 10 & 00 \end{array}$            |         |
| " Aucuparia, European Mt. Ash, Rowan Tr   | 3 50  | ı       |
| See Price List of Specimen Trees, Pag   | ge 16.  |         |



Tilia Dasystyla (Euchlora) Yellow Twigged Linden.

|       |  | Per 10   | Per 100    |
|-------|--|----------|------------|
| Tilia | alba argentea (tomentosa) White-leaved   | Linden   |            |
|       | 1¼ to 1½ in. cal                         |          | 75.00      |
|       |  |          |            |
|       | $1\frac{1}{2}$ to 2 in cal               |          | 100 00     |
|       | $2\frac{1}{2}$ to $2\frac{3}{4}$ in. cal | . 27 50  |            |
|       | 2¾ to 3 in. cal                          | . 30 00  |            |
|       | 3 to 3½ in. cal                          | . 35 00  |            |
| "     | Americana (Caroliniana) American Lind    | en, Bass | wood       |
|       | 4 to 6 ft                                | 250      |            |
|       | 6 to 8 ft                                | . 3 50   | 35 00      |
|       | 8 to 10 ft                               |          | $50 \ 00$  |
|       | 1¼ to 1½ in. cal                         | . 6 50   | 65 00      |
|       | $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal |          | 75 00      |
|       | 1¾ to 2 in. cal                          | . 10 00  | $100 \ 00$ |
|       | 2 to $2\frac{1}{4}$ in. cal              | . 12 50  |            |
|       | $2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal | . 15 00  |            |
|       | 3 to $3\frac{1}{2}$ in. cal              | . 27 50  |            |
|       | 3½ to 4 in. cal                          |          |            |
|       |  |          |            |

|   | Per 10   | Per 100  |
|---|--|--|
| Tilia (Cont.)   |  |  |
| " dasystyla (euchlora) Crimean Linden  1½ to 1½ in. cal.  1¾ to 2 in. cal.  2 to 2¼ in. cal.  2½ to 2½ in. cal.  2½ to 2¾ in. cal.  2½ to 3¾ in. cal.  3 to 3½ in. cal.                                 | 15 00<br>17 50<br>20 00<br>22 50<br>25 00                                  | 60 00<br>175 00<br>200 00<br>225 00<br>250 00          |
| " Europaea, European Linden  1¼ to 1½ in. cal.  1½ to 2 in. cal.  2½ to 2¾ in. cal.  2¾ to 3 in. cal.  3 to 3½ in. cal.  3½ to 4 in. cal.   | $\begin{array}{c} 8 & 50 \\ 25 & 00 \\ 27 & 50 \\ 35 & 00 \end{array}$     | 60 00<br>75 00<br>275 00<br>350 00<br>400 00           |
| " heterophylla, Cut-leaved Linden 6 to 8 ft. 1 to 1¼ in. cal  | 10 00  |  |
| ,-  |  |  |
| " platyphyllos, Broad-leaved European Lind  1½ to 1½ in. cal.  1½ to 1¾ in. cal.  1¾ to 2 in. cal.  2 to 2¼ in. cal.  2½ to 2½ in. cal.  2½ to 2¾ in. cal.  2½ to 3¼ in. cal.  3 to 3½ in. cal.         | 7 50<br>10 00<br>15 00<br>17 50<br>20 00<br>22 50                          |  |
| Ulmus Americana, White or American Elm  |  |  |
| 1¼ to 1½ in. cal.  1½ to 1¾ in. cal.  1¾ to 2 in. cal.  2 to 2¼ in. cal.  2¼ to 2½ in. cal.  2½ to 2½ in. cal.  2½ to 2¾ in. cal.  2¼ to 3 in. cal.  3 to 3½ in. cal.                                   | 5 00<br>8 50<br>12 50<br>15 00<br>17 50<br>22 50<br>25 00<br>27 50         | 50 00<br>75 00<br>100 00<br>135 00<br>175 00<br>225 00 |
| " latifolia, Scotch Elm 4 to 6 ft. 6 to 8 ft. 1½ to 2 in. cal. 2½ to 2¾ in. cal. 2¾ to 3 in. cal. 3 to 3½ in. cal. specimen 3½ to 4 in. cal. specimen 4 to 5 in. cal. specimen 5 to 6 in. cal. specimen | 1 50<br>2 50<br>8 50<br>15 00<br>17 50<br>40 00<br>45 00<br>50 00<br>60 00 | 15 00<br>20 00   |
| " campestris, English Elm   |  |  |
| 2 to 2½ in. cal. 2½ to 3 in. cal. 3 to 3½ in. cal. 3½ to 4 in. cal. 4 to 5 in. cal. 5 to 6 in. cal.  "Campestris Wheatleyii 10 to 12 ft.  | 15 00<br>20 00<br>25 00<br>30 00<br>35 00<br>40 00<br>12 50                |  |
| Virgilea, see Cladrastis  |  |  |

### Specimen Shade Trees

This is a particularly fine lot of Specimen Shade Trees for planting for immediate results. These trees were transplanted four years ago and set ten by ten feet apart in nursery rows, allowing ample room for top development. They are abundantly supplied with fibrous roots, have good straight trunks and well developed, symmetrical tops. They are mostly branched from six to eight feet from the ground.

When ordering from this list be careful to mention these

"specimen trees."

| Acer dasycarpum, Silver Maple                        | )   | Per  | 100  |
|--|-----|------|------|
| 2 3½ to 4 in. cal                                    | 1 ( | ۸۸ ، | anch |
| 10 4 to 5 in. cal                                    | 6   |      | "    |
| 9 5 to 6 in. cal                                     | 7   |      | "    |
|  | 0   |      | "    |
| _  | .0  | 00   |      |
| Acer Negundo, Box Elder                              |     | 00   | "    |
| 1 3½ to 4 in. cal                                    | _   | 00   | "    |
| 3 4 to 5 in. cal                                     |     | 00   |      |
| 5 to 6 in. cal                                       | 7   | 50   |      |
| Acer platanoides, Norway Maple                       |     |      |      |
| 0 72 00  |     | 50   | "    |
| 4 4 to 5 in. cal                                     | .3  | 50   | **   |
| Acer saccharum, Sugar or Rock Maple                  |     |      |      |
| 13 2 to 2¼ in. cal                                   | 3   | 00   | "    |
| 28 2½ to 2½ in. cal                                  | 3   | 50   | "    |
| $29$ $2\frac{1}{2}$ to $2\frac{3}{4}$ in. cal        | 5   | 00   | "    |
| 37 2 <sup>3</sup> / <sub>4</sub> to 3 in, cal        | 7   | 50   | "    |
|  | 10  | 00   | "    |
|  | 12  | 50   | "    |
| Octobro mariona Westown Cotobro                      |     |      |      |
| Catalpa speciosa, Western Catalpa 19 3 to 3½ in. cal | 5   | 00   | "    |
|  | -   | 00   | **   |
| 00 0 /2 00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1       | -   | 50   | "    |
|  | •   | 00   |      |
| Fraxinus Americana, White Ash                        | _   | 0.0  | "    |
| 5 3 to 3½ in. cal                                    |     | 00   | "    |
| 4 $3\frac{1}{2}$ to 4 in. cal                        | 7   | 50   |      |
| Gymnocladus Canadensis, Kentucky Coffee Tree         |     |      |      |
| 5 2½ to 2½ in. cal                                   | 3   | 00   | "    |
| 9 $2\frac{1}{2}$ to $2\frac{3}{4}$ in. cal           | 4   | 00   | "    |
| $2  2\sqrt[3]{4} $ to $3$ in. cal                    |     | 00   | "    |
| 3 3 to 3½ in. cal                                    | 6   | 00   | "    |
| Platanus Orientalis, European Sycamore, Plane        |     |      |      |
| 5 3½ to 4 in. cal                                    | 13  | 00   | "    |
| 8 4 to 5 in. cal                                     | 15  | 00   | "    |
|  | 18  | 00   | "    |
| Specimen Trees (cont.)                               |     |      |      |
| •              |     |      |      |
| Salisburia adiantifolia, Ginkgo, Maidenhair Tree     | 9   | 00   | each |
| 5 1¾ to 2 in. cal                                    | -   | 00   | "    |
| 2 2 to 2½ in. cal                                    | 3   |      | **   |
| 6 2½ to 2½ in. cal                                   |     | 00   | **   |
| 3 2 <sup>3</sup> / <sub>4</sub> to 3 in. cal         | 7   | UU   |      |

| Ulmus | Amer           | icaı | na, A          | me  | rican | Elm |   |      |
|-------|----------------|------|----------------|-----|-------|-----|---|------|
| 3     | 2              | to   | $2\frac{1}{4}$ | in. | cal.  |     | 2 | 50 " |
| 9     | 21/4           | to   | $2\frac{1}{2}$ | in. | cal.  |     | 3 | 00 " |
| 32    |                |      |                |     |       |     |   |      |
| 44    | $2\frac{3}{4}$ | to   | 3              | in. | cal.  |     | 4 | 00 " |
| 113   | 3              | to   | $3\frac{1}{2}$ | in. | cal.  |     | 5 | 00 " |
| 98    |                |      |                |     |       |     |   |      |
| 19    | 4              | tつ   | 5              | in. | cal.  |     | 7 | 00 " |

## Deciduous Shrubs

We continually try to impress upon our customers the fact that the mere height of a shrub does not indicate its value, but that its "bushiness" must also be taken into consideration. Shrubs grown closely in nursery rows must necessarily make height, but the "bushiness" is sacrificed. A good, bushy, two to three-feet shrub is worth as much as a "slim" three to four-feet plant, and for results it is worth more.

We grow our shrubs in wide rows and allow plenty of space between the plants in the rows to permit them to develop properly. It costs more to grow shrubs this way than where they are grown closely together, as we cannot plant as many on an acre. In comparing our prices with those of other growers, this fact should be given consideration.

|  | Per 10   | Per 100       |  |  |  |  |  |  |
|--|----------|---------------|--|--|--|--|--|--|
| Althaea See Hibiscus                           |          |               |  |  |  |  |  |  |
| Amelanchier Botryapium (Canadensis) June-berry |          |               |  |  |  |  |  |  |
| 18 to 24 in                                    | _ 00     | 8 00          |  |  |  |  |  |  |
| 2 to 3 ft                                      | 1 25     | 10 00         |  |  |  |  |  |  |
| " vulgaris, Service-berry                      |          |               |  |  |  |  |  |  |
| 18 to 24 in                                    | 1 00     | 8 00          |  |  |  |  |  |  |
| Amorpha canescens, Lead Plant                  |          |               |  |  |  |  |  |  |
| 18 to 24 in                                    | 1 00     | 8 00          |  |  |  |  |  |  |
| " fruticosa, False Indigo                      |          |               |  |  |  |  |  |  |
| 2 to 3 ft                                      |          | 8 00          |  |  |  |  |  |  |
| 3 to 4 ft                                      | 1 25     | 10 00         |  |  |  |  |  |  |
| 4 to 5 ft                                      | 1 50     | 12 00         |  |  |  |  |  |  |
| Amygdalus nana, Double White Flowering Al      |          |               |  |  |  |  |  |  |
| 2 to 3 ft                                      | 1 75     |               |  |  |  |  |  |  |
| nana, Double Pink Flowering Almond             |          |               |  |  |  |  |  |  |
| 2 to 3 ft                                      | 1 75     |               |  |  |  |  |  |  |
| " Persica, See Prunus Persica                  |          |               |  |  |  |  |  |  |
| Andromeda arborea, See Oxydendron              |          |               |  |  |  |  |  |  |
| Andromeda floribunda and Japonica. See Ever    | green S  | hrubs         |  |  |  |  |  |  |
| Aralia Japonica                                |          | •             |  |  |  |  |  |  |
| . 2 to 3 ft                                    | 1 25     | <b>12 0</b> 0 |  |  |  |  |  |  |
| 3 to 4 ft                                      | 1 50     | <b>15 0</b> 0 |  |  |  |  |  |  |
| 4 to 5 ft                                      | $2 \ 00$ | $20 \ 00$     |  |  |  |  |  |  |
| " Mandshurica (Dimorphanthus)                  |          |               |  |  |  |  |  |  |
| 2 to 3 ft                                      | $1 \ 50$ |               |  |  |  |  |  |  |
| 3 to 4 ft                                      | 2 00     |               |  |  |  |  |  |  |
| " pentaphylla (Acanthopanax)                   |          |               |  |  |  |  |  |  |
| 18 to 24 in                                    | 1 00     | 8 00          |  |  |  |  |  |  |
| 2 to 3 ft                                      | $1 \ 25$ | 10 00         |  |  |  |  |  |  |
| 3 to 4 ft                                      | $1 \ 35$ | $12 \ 00$     |  |  |  |  |  |  |
| 6 to 7 ft                                      | 3 50     | $25 \ 00$     |  |  |  |  |  |  |
|  |          |               |  |  |  |  |  |  |

| Anonia malanacanna (vinus) Planta Chatata                               | Per 10          | Per | 100 |
|---|-----------------|-----|-----|
| Aronia melanocarpa (nigra) Black Choke-berr 18 to 24 in                 | y<br>90<br>1 00 | -   | 00  |
| Azalea amoena Hinodegiri. See Evergreen Shri                            | ubs             |     |     |
| " Kaempferi, salmon pink 15 in  | 10 00           | )   |     |
| " lutea (calendulacea) 18 to 24 in                                      | 3 50            | 30  | 00  |
| " Mollis, Red 18 to 24 in   | 5 00            | )   |     |
| " Mollis, Yellow. (Sinensis) 18 to 24 in " Pontica, Ghent (Gandavensis) | 5 00            | )   |     |
| 18 to 24 in   | 6 50            | 8   |     |
| VARIETIES OF AZALEA PONTIC  | CA              |     | . 1 |
| Boquet de Flore, Cherry red<br>Coccinea speciosa, Red                   |                 |     |     |

Boquet de Flore, Cherry red
Coccinea speciosa, Red
Daviesii, White, Very fine, Single.
Nancy Waterer. Pure yellow. Single
Narcissiflora. Sulphur yellow. Double
Raphael de Smet. White shaded with rose. Double.

| Azalea Vaseyi (Rhododendron)  1 to 1½ ft  |   | Per 10           | Per 100       |
|---|---|------------------|---------------|
| 2 to 2½ ft. 6 00  "Yodogawa, Double. Light purple 2 to 2½ ft. 10 00  Baccharis halimifolia, Groundsel Shrub 2 to 3 ft. 1 25 12 00  Benzoin odoriferum, See Lindera Benzoin  Berberis Thunbergii, Japanese Barberry 12 to 18 in. \$65 00 per 1000 85 7 00 18 to 24 in 100 00 per 1000 1 25 10 00 2 to 2½ ft. 140 00 per 1000 1 50 15 00 2½ to 3 ft. 1 75 17 00  "vulgaris, Green Barberry 18 to 24 in. 75 7 00 2 to 3 ft. 1 00 10 00 3 to 4 ft. 1 25 11 00  "vulgaris purpurea, Purple-leaved Barberry 12 to 18 in. 60 5 00 18 to 24 in. 75 6 00 2 to 3 ft. 1 00 10 00 3 to 4 ft. 1 25 12 00  Buddleia variabilis 2 to 3 ft. 1 00 10 00 3 to 4 ft. 1 25 12 00  Callicarpa purpurea 2 to 3 ft. 1 50  Callycanthus floridus, Sweet Shrub 2 to 3 ft. 1 50   |   |                  |               |
|   | 1 to 1½ ft                                  |                  |               |
| ## Sto 2½ ft  |   | 0 00             |               |
| Baccharis halimifolia, Groundsel Shrub       2 to 3 ft.       1 25       12 00         Benzoin odoriferum, See Lindera Benzoin         Berberis Thunbergii, Japanese Barberry       12 to 18 in.       \$65 00 per 1000       85       7 00         18 to 24 in       100 00 per 1000       1 25       10 00       2 to 2½ ft.       140 00 per 1000       1 50       15 00       2½ to 3 ft.       1 75       17 00         "vulgaris, Green Barberry       18 to 24 in.       75       7 00       2 to 3 ft.       1 00       10 00       10 00       3 to 4 ft.       1 25       11 00         "vulgaris purpurea, Purple-leaved Barberry       12 to 18 in.       60       5 00       2 to 3 ft.       1 00       10 00       10 00       3 to 4 ft.       1 25       12 00         Buddleia variabilis       2 to 3 ft.       1 00       10 00       3 to 4 ft.       1 25       12 00         Callicarpa purpurea       2 to 3 ft.       1 50       Callicarpa purpurea       1 50       Callycanthus floridus, Sweet Shrub       2 to 3 ft.       1 25       11 00   | rodogawa, Double. Light purple              | 40.00            |               |
| 2 to 3 ft.       1 25       12 00         Benzoin odoriferum, See Lindera Benzoin         Berberis Thunbergii, Japanese Barberry         12 to 18 in.       \$65 00 per 1000       85       7 00         18 to 24 in.       100 00 per 1000       1 25       10 00         2½ to 3 ft.       1 75       17 00         "vulgaris, Green Barberry       75       7 00         18 to 24 in.       75       100         3 to 4 ft.       1 25       11 00         "vulgaris purpurea, Purple-leaved Barberry       12 to 18 in.       60       5 00         18 to 24 in.       75       6 00         2 to 3 ft.       1 00       10 00         3 to 4 ft.       1 25       12 00         Buddleia variabilis         2 to 3 ft.       1 25       12 00         Callicarpa purpurea         2 to 3 ft.       1 50         Calycanthus floridus, Sweet Shrub         2 to 3 ft.       1 25       11 00  |   | 10 00            |               |
| Benzoin odoriferum, See Lindera Benzoin         Berberis Thunbergii, Japanese Barberry         12 to 18 in  | Baccharis halimifolia, Groundsel Shrub      |                  |               |
| Berberis Thunbergii, Japanese Barberry  | 2 to 3 ft                                   | 1 25             | 12 00         |
| 12 to 18 in.       \$65 00 per 1000       85       7 00         18 to 24 in       100 00 per 1000       1 25       10 00         2 to 2½ ft.       140 00 per 1000       1 50       15 00         2½ to 3 ft.       1 75       17 00         "vulgaris, Green Barberry       75       7 00         2 to 3 ft.       1 00       10 00         3 to 4 ft.       1 25       11 00         "vulgaris purpurea, Purple-leaved Barberry       12 to 18 in.       60       5 00         18 to 24 in.       75       6 00         2 to 3 ft.       1 00       10 00         3 to 4 ft.       1 25       12 00     Buddleia variabilis  2 to 3 ft.       1 00       10 00         3 to 4 ft.       1 25       12 00         Callicarpa purpurea       2 to 3 ft.       1 50         Callicarpa purpurea       2 to 3 ft.       1 50         Calycanthus floridus, Sweet Shrub       2 to 3 ft.       1 25       11 00  | Benzoin odoriferum, See Lindera Benzoin     |                  |               |
| 18 to 24 in   | Berberis Thunbergii, Japanese Barberry      |                  |               |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$   | 12 to 18 in\$65 00 per 1000                 | 85               |               |
| 2½ to 3       ft.       1 75       17 00         "vulgaris, Green Barberry       75       7 00       2 to 3 ft.       1 00 10 00       10 00       3 to 4 ft.       1 25 11 00         "vulgaris purpurea, Purple-leaved Barberry       12 to 18 in.       60 5 00       5 00       18 to 24 in.       75 6 00       60       2 to 3 ft.       1 00 10 00       10 00 |   |                  |               |
| " vulgaris, Green Barberry       75       7 00         2 to 3 ft.       1 00       10 00         3 to 4 ft.       1 25       11 00         " vulgaris purpurea, Purple-leaved Barberry       60       5 00         12 to 18 in.       60       5 00         2 to 3 ft.       1 00       10 00         3 to 4 ft.       1 25       12 00         Buddleia variabilis       2 to 3 ft.       1 00       10 00         3 to 4 ft.       1 25       12 00         Callicarpa purpurea       2 to 3 ft.       1 50         Calycanthus floridus, Sweet Shrub       2 to 3 ft.       1 25       11 00   |   |                  |               |
| 18 to 24 in.  | $2\frac{1}{2}$ to 3 ft                      | 1 75             | 17 00         |
| 18 to 24 in.       75       7 00         2 to 3 ft.       1 00       10 00         3 to 4 ft.       1 25       11 00         "vulgaris purpurea, Purple-leaved Barberry       12 to 18 in.       60       5 00         18 to 24 in.       75       6 00         2 to 3 ft.       1 00       10 00         3 to 4 ft.       1 25       12 00         Buddleia variabilis         2 to 3 ft.       1 25       12 00         Callicarpa purpurea         2 to 3 ft.       1 50         Calycanthus floridus, Sweet Shrub         2 to 3 ft.       1 25       11 00   | " vulgaris, Green Barberry                  |                  |               |
| 3 to 4 ft.     1 25     11 00       " vulgaris purpurea, Purple-leaved Barberry     12 to 18 in.     60     5 00       18 to 24 in.     75     6 00       2 to 3 ft.     1 00     10 00       3 to 4 ft.     1 25     12 00       Buddleia variabilis       2 to 3 ft.     1 00     10 00       3 to 4 ft.     1 25     12 00       Callicarpa purpurea       2 to 3 ft.     1 50       Calycanthus floridus, Sweet Shrub       2 to 3 ft.     1 25     11 00   |   | 75               | 7 00          |
| " vulgaris purpurea, Purple-leaved Barberry       60       5 00         12 to 18 in.       75       6 00         2 to 3 ft.       1 00       10 00         3 to 4 ft.       1 25       12 00         Buddleia variabilis         2 to 3 ft.       1 00       10 00         3 to 4 ft.       1 25       12 00         Callicarpa purpurea         2 to 3 ft.       1 50         Calycanthus floridus, Sweet Shrub         2 to 3 ft.       1 25       11 00  | 2 to 3 ft                                   |                  | $10 \ 00$     |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$  | 3 to 4 ft                                   | 1 25             | 11 00         |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$  | " vulgaris purpurea, Purple-leaved Barberry | ,                |               |
| 2 to 3 ft. 1 00 10 00 3 to 4 ft. 1 25 12 00  Buddleia variabilis 2 to 3 ft. 1 00 10 00 3 to 4 ft. 1 00 10 00 3 to 4 ft. 1 25 12 00  Callicarpa purpurea 2 to 3 ft. 1 50  Calycanthus floridus, Sweet Shrub 2 to 3 ft. 1 25 11 00  |   |                  | 5 00          |
| 3 to 4 ft. 1 25 12 00  Buddleia variabilis 2 to 3 ft. 1 00 10 00 3 to 4 ft. 1 25 12 00  Callicarpa purpurea 2 to 3 ft. 1 50  Calycanthus floridus, Sweet Shrub 2 to 3 ft. 1 25 11 00  | 18 to 24 in                                 | 75               |               |
| Buddleia variabilis   | 2 to 3 ft                                   |                  |               |
| 2 to 3 ft   | 3 to 4 ft                                   | 1 25             | <b>12 0</b> 0 |
| 3 to 4 ft   | Buddleja varjabilis                         |                  |               |
| Callicarpa purpurea 2 to 3 ft   | 2 to 3 ft                                   | 1 00             | 10 00         |
| 2 to 3 ft   | 3 to 4 ft                                   | 1 25             | $12\ 00$      |
| 2 to 3 ft   | Callicarpa purpurea                         |                  |               |
| 2 to 3 ft 1 25 11 00  |   | 1 50             |               |
| 2 to 3 ft 1 25 11 00  | Calveanthus floridus, Sweet Shrub           |                  |               |
| 3 to 4 ft 1 35 13 00  |   |                  |               |
| · ·   | 3 to 4 ft                                   | $_{_{i}}$ 1 $35$ | 13 00         |

| Caragana arborescens. Siberian Pea           | Per 1         |            |    |
|--|---------------|------------|----|
| 18 to 24 in                                  |               |            | 00 |
| 2 to 3 ft                                    |               |            | 00 |
| 3 to 4 ft                                    | 1 (           |            | 00 |
| " arborescens pendula, Weeping Siberian F    |               | 20 10      | 00 |
| 3 to 4 ft. stems, 2 year heads               | 12            | 50         |    |
| 6 ft. stem. 4 year heads                     | 15 (          |            |    |
| Carpinus Americana (Caroliniana) American H  |               |            |    |
| 3 to 4 ft                                    | 1             |            | 00 |
| 4 to 5 ft                                    | $\frac{1}{2}$ |            | 00 |
| 5 to 6 ft                                    | 4             |            | 00 |
| 6 to 8 ft                                    | 6             | 00 - 50    | 00 |
| " Betulus, European Hornbeam                 |               |            |    |
| 3 to 4 ft                                    | $^2$          |            | 00 |
| 4 to 5 ft                                    | 3 (           |            | 00 |
| 5 to 6 ft                                    | 4             |            | 00 |
| 6 to 7 ft                                    | 6 (           | 00 50      | 00 |
| Caryopteris Mastacanthus, "Blue Spiraea"     |               |            |    |
| 18 to 24 in                                  | 1 :           |            | 00 |
| 2 to 3 ft                                    | 1 :           | 35 12      | 00 |
| Ceanothus Americanus, New Jersey Tea         |               |            |    |
| 18 to 24 in                                  | 1 :           | 25 	 10    | 00 |
| Cephalanthus occidentalis, Dwarf Button-bush |               |            |    |
| 18 to 24 in                                  |               | 90 8       | 00 |
| 2 to 3 ft                                    | 1 (           |            | 00 |
| 3 to 4 ft                                    | . 1           |            | 00 |
| 4 to 5 ft                                    | 1             | 50 15      | 00 |
| Cercis Canadensis, Judas Tree, Red Bud       |               | ~=         |    |
| 18 to 24 in                                  | 1 :           |            | 00 |
| 2 to 3 ft                                    | $rac{1}{2}$  | _          | 00 |
| 3 to 4 ft.<br>4 to 5 ft.                     | $\frac{2}{2}$ |            | 00 |
| Chionanthus Virginica, White Fringe          |               | - <b>-</b> | •  |
| 2 to 3 ft                                    | 1 (           | 00 10      | 00 |
| 4 to 5 ft                                    | ī '           |            | 00 |
| Clethra alnifolia, Sweet Pepper-bush         |               |            |    |
| 18 to 24 in                                  | 1 :           | 25 	 12    | 00 |
| 2 to 3 ft                                    | 1 :           | 35  13     | 00 |
| Colutea arborescens, Bladder Senna           |               |            |    |
| 18 to 24 in                                  | 1             |            | 00 |
| 2 to 3 ft                                    | 1 :           | 25 9       | 00 |
| Corchorus. See Kerria                        |               |            |    |
| Cornus alba (Siberica) Red-stemmed Dogwood   |               |            |    |
| 18 to 24 in                                  |               |            | 00 |
| 2 to 3 ft                                    | 1:            |            | 00 |
|  | т,            | 99 19      | UU |
| " alternifolia, Blue Dogwood 3 to 4 ft       | 1 ′           | 75 17      | 00 |
| " florida, White flowering Dogwood           | Τ.            | . 9 11     | 00 |
| 2 to 3 ft                                    | 2             | 00 18      | 00 |
| 3 to 4 ft                                    | $\frac{2}{2}$ |            | 00 |
| 4 to 5 ft                                    | 4             |            | 00 |
| 6 to 7 ft                                    | 10            | 00         |    |
| " florida rubra, Red flowering Dogwood       |               |            |    |
| 2 to 3 ft                                    | 5             |            | 00 |
| 3 to 4 ft                                    | 7             |            | 00 |
| 4 to 5 ft                                    | 10            | 00 100     | 00 |

| Corr | lus (cont.) florida pendula. Weeping white flowering | Dog    | woo             | Per 1 | 00       |
|------|--|--------|-----------------|-------|----------|
|      | 2 to 3 ft  | 5<br>7 | $\frac{00}{50}$ |       |          |
| "    | Mas. Cornelian Cherry                                |        |                 |       |          |
|      | 18 to 24 in  | 1      | 00              | 9     | 00       |
|      | 2 to 3 ft  | 1      | 25              | 10    | 00       |
| "    | 3 to 4 ft  | 1      | 35              | 12    | 00       |
|      | paniculata (Canadensis)  2 to 3 ft                   | 1      | 50              | 15    | 00       |
|      | 3 to 4 ft  |        | 75              | 10    | 00       |
|      | 4 to 5 ft  | -      | 00              | 18    | 00       |
| "    | sanguinea, English Dogwood                           |        |                 |       |          |
|      | 2 to 3 ft  |        | 90              | 8     | 00       |
|      | 3 to 4 ft  | 1      | 00              | 10    | 00       |
| "    | sericea (Amomum) Silky Dogwood                       |        |                 |       |          |
|      | 2 to 3 ft  |        | 00              | 10    | 00       |
|      | 6 to 7 ft  | 3      | 50              |       |          |
| 4.6  | Spaethi aurea, Golden-leaved                         |        |                 |       |          |
|      | 3 to 4 ft  |        | <b>50</b>       | 22    | 50       |
| "    | stolonifera lutea, Yellow-stemmed Dogwo              |        |                 |       |          |
|      | 2 to 3 ft  | 1      | 50              | 13    | 00       |
| Cory | ylus Avellana, European Hazel                        |        |                 |       |          |
|      | 18 to 24 in  |        | 00              |       | 00       |
|      | 2 to 3 ft  |        | 25              |       | 00       |
|      | 3 to 4 ft  |        | $_{0}^{50}$     |       | 00       |
|      | 4 to 5 ft  | Z      | 00              | 20    | 00       |
| "    | Avellana atropurpurea, Purple-leaved                 | _      |                 |       | 0.3      |
|      | 2 to 3 ft  | 1      | 75              | 15    | 00       |
| Coto | oneaster Simonsi                                     | _      |                 |       |          |
|      | 18 to 24 in  |        | 00              |       | 00       |
|      | 2 to 3 ft  |        | $\frac{25}{50}$ |       | 00       |
| _    |  |        | 30              | 10    | 00       |
| Cra  | taegus coccinea, Scarlet Thorn                       | 9      | 00              | 95    | 00       |
|      | 4 to 5 ft  |        | 00              |       | 00       |
|      | 6 to 8 ft  |        | 50              | 00    | 00       |
|      | 8 to 10 ft   | 10     | 00              | 85    | 00       |
| "    | cordata, Washington Thorn                            |        |                 |       |          |
|      | 2 to 3 ft  | 1      | 50              | 15    | 00       |
|      | 3 to 4 ft  |        | 50              |       | 00       |
|      | 4 to 5 ft  |        | 00              |       | 00       |
|      | 5 to 6 ft  | _      | 00              |       | 00<br>00 |
|      | 6 to 8 ft  | 9      | 00              | 90    | 00       |
| "    | Oxycantha, English Hawthorn                          | -      | 0.0             | 0     | 00       |
|      | 18 to 24 in  |        | $\frac{00}{25}$ |       | 00<br>00 |
|      | 2 to 3 ft  |        | 20<br>50        |       | 00       |
| "    | Oxycantha, double pink, Hawthorn                     | _      |                 |       |          |
|      | 3 to 4 ft  | 2      | 50              |       |          |
| "    | Oxycantha, double white, Hawthorn                    | _      | -               |       |          |
|      | 3 to 4 ft  | 2      | 50              |       |          |
|      | 6 to 8 ft  | 6      | 50              |       |          |
| "    | Oxycantha, Paul's double scarlet, Hawtho             | rn     |                 |       |          |
|      | 3 to 4 ft  |        | 50              |       |          |
|      | 6 to 8 ft  | 6      | 50              |       |          |
|      |  |        |                 |       |          |

| Dresner, Wontgomery Co., Pa.                          |        |   |
|---|--------|---|
|   | Per 10 | Per 100   |
| Cydonia Japonica (Pyrus Japonica) Japanese            |        | 7 00  |
| 18 to 24 in 2 to 3 ft                                 |        | $\begin{array}{cc} 7 & 00 \\ 11 & 00 \end{array}$ |
| " umbilicata, Bright rose                             |        |   |
| 18 to 24 in   |        | $\begin{array}{c}9&00\\10&00\end{array}$          |
|   |        |   |
| Cytisus Laburnum (Laburnum vulgare) Golder 6 to 8 ft. |        |   |
| Daphne cneorum, See Evergreen shrubs                  |        |   |
| Daphne Mezereum alba 2 to 2½ ft                       | . 6 00 |   |
| " Mezereum rubra, Pink                                |        |   |
| 18 to 24 in   | . 6 00 |   |
| Desmodium penduliflorum (Lespedeza Siebol             |        | Clover  |
| 2 years   | . 1 25 | 12 00   |
| Deutzia candidissima plena, Double white              |        |   |
| 2 to 3 ft   |        | $\begin{array}{c} 8 & 00 \\ 10 & 00 \end{array}$  |
| ,               | . 1 23 | 10 00   |
| " crenata double pink 2 to 3 ft                       | . 1 00 | 8 00  |
| 3 to 4 ft   |        | 10 00   |
| " crenata double white                                |        |   |
| 3 to 4 ft   | . 1 25 | 10 00   |
| 4 to 5 ft   | . 1 50 | 12 00   |
| " crenata Fortunei, Single white 3 to 4 ft            | . 1 25 | 10 00   |
| " crenata Pride of Rochester, Double pink             |        |   |
| 2 to 3 ft   | . 1 00 | 8 00  |
| 3 to 4 ft   | T. T.  | $\begin{array}{c} 10 \ 00 \\ 12 \ 00 \end{array}$ |
| 5 to 6 ft   |        | 15 00<br>15 00                                    |
| " gracilis, Dwarf, Single white                       |        |   |
| 12 to 18 in   | . 1 00 | 9 00  |
| 18 to 24 in   | . 1 35 | 13 00   |
| " gracilis rosea, Dwarf, Single pink                  |        |   |
| 18 to 24 in   | . 1 25 | 12 00   |
| " Lemoinei, Dwarf, White 18 to 24 in                  | . 1 25 | 12 00   |
| Diervilla sessilifolia (lutea)                        | . 120  | 12 00   |
| 18 to 24 in   | . 1 25 | 10 00   |
| " rosea and varieties, See Weigela                    |        |   |
| Dimorphanthus, See Aralia Mandshurica                 |        |   |
| Elaeagnus angustifolia, Russian Olive                 |        |   |
| 18 to 24 in   |        |   |
| 2 to 3 ft   |        |   |
| " longipes (edulis)                                   | _ 30   |   |
| 18 to 24 in   |        |   |
| 2 to 3 ft   |        |   |
| Euonymus alatus, Japanese Strawberry bush             | . гээ  | 12 00   |
| 2 to 3 ft   | . 2 00 | 20 00   |
| 3 to 4 ft   | . 3 00 | 30 00   |

| Euonymus (cont.) " Europaeus, European Burning bush   | Per 10  | Per 100  |
|---|---|--|
| 2 to 3 ft   | $egin{array}{ccc} 1 & 00 \\ 1 & 25 \\ 1 & 50 \end{array}$ | $\begin{array}{ccc} 10 & 00 \\ 12 & 00 \\ 13 & 00 \end{array}$ |
| Exochorda grandiflora. Pearl bush         18 to 24 in.         2 to 3 ft.         3 to 4 ft.         4 to 5 ft. | 1 00<br>1 25<br>1 35<br>1 75                              | 9 00<br>11 00<br>12 00<br>15 00                                |
| Forsythia Fortunei, Golden Bell  18 to 24 in  |   | $\begin{array}{cc} 9 & 00 \\ 10 & 00 \end{array}$              |
| 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.   | $\begin{array}{cc}1&00\\1&25\end{array}$                  | 8 <b>00</b><br>10 <b>0</b> 0                                   |
| 18 to 24 in   | $\begin{array}{ccc} 1 & 25 \\ 1 & 50 \end{array}$         | 12 00  |
| 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  Halesia tetraptera (Mohrodendron) Silver Bel                                  | $egin{array}{ccc} 1 & 25 \\ 1 & 50 \\ 1 & \end{array}$    | 10 00<br>13 00   |
| 2 to 3 ft   | 2 00<br>1 00  | 20 00  |
| 2 to 3 ft   | white   |  |
| 2 to 3 ft   | 1 00  | 9 00   |
| 3 to 4 ft   |   |  |
| 2 to 3 ft   | . 1 00  | 9 00   |
| 2 to 3 ft   | . 85  | 7 00   |
| " Syriacus Jean d'Arc, Double white 2 to 3 ft   | . 1 00  | 9 00   |
| " Syriacus rubis, Single red 2 to 3 ft  | . 85  | 7 00   |
| " Syriacus totus albus. Single white 18 to 24 in  | . 88  | 7 00   |

| Hibiscus (cont.)  |                             | Per 100    |
|---|-----------------------------|------------|
| " Syriacus variegata fl. pl., Variegated leave                | ed o                        |            |
| 18 to 24 in   | 1 00                        |            |
| 3 to 4 ft   | 1 23                        |            |
| 4 to 5 ft   | 1 50                        |            |
| " Syr. Meehani variegata, Variegated-leaved 4 to 5 ft., heavy | , Single                    | e<br>30 00 |
| Hydrangea arborescens grandiflora, American                   |                             |            |
| 2 to 2½ ft  |                             |            |
| 18 to 24 in   | 1 75                        | 5 15 00    |
| 3 to 4 ft   |                             |            |
| " hortensis Otaksa, Pink                                      |                             |            |
| 6 to 9 in. bushy, 5 inch pots                                 |                             |            |
| 6 to 9 in. bushy, 6 inch pots                                 | 3 50                        | 35 00      |
| " paniculata (type) Single                                    | - 0                         |            |
| 2 to 3 ft   |                             |            |
|   | 1 90                        | 7 15 00    |
| " paniculata grandiflora<br>18 to 24 in                       | 75                          | 7 00       |
| 2 to 3 ft   |                             |            |
| 3 to 4 ft   | $1 \ 25$                    |            |
| " quercifolia, Oak-leaved 2 ft                                | 4 00                        | )          |
| " radiata (nivea)   |                             |            |
| 3 to 4 ft   | 2 00                        | 18 00      |
| 2 year strong   | 1 25                        | 12 00      |
| 18 to 24 in   | $1 \ 25$                    | 12 00      |
| llex verticilata (Prinos) Winter berry 18 to 24 in            | 2 00                        | 18 00      |
| Itea Virginica  |                             |            |
| 18 to 24 in   | 1 25                        |            |
| 2 to 3 ft   | 1 35                        | 5 13 00    |
| Kerria Japonica, Single (Corchorus) 18 to 24 in               | 1 25                        | 5 12 00    |
| " Japonica variegata  | 1 20                        | 12 00      |
| 18 to 24 in   | 1 50                        | 15 00      |
| Laburnum vulgare. See Cytissus Laburnum                       |                             |            |
| Laurus Benzoin. See Lindera                                   |                             |            |
| Lespedeza bicolor. Bush Clover                                |                             |            |
| 2 to 3 ft   | $1 \ 25$                    | 12 00      |
| Ligustrum Amurense, Southern Amoor Privet                     |                             |            |
| 2 to 3 ft   | 1 00                        |            |
| 3 to 4 ft   | 1 25                        | 5 10 00    |
| " ibota, As commonly sold, not upright 18 to 24 in            | 75                          | 6 00       |
| 2 to 2½ ft  | $75 \\ 1 00$                |            |
| 3 to 4 ft   | $\frac{1}{1} \frac{00}{25}$ |            |
| " ibota. True upright form                                    |                             |            |
| 4 to 5 ft   | 1 75                        |            |
| 5 to 6 ft   | 2 50                        | )          |
| " ibota Regelianum, Regel's Privet 2 to 2½ ft                 | 1 25                        | 12 00      |
| Δ to Δ72 It   | 1 40                        | , 12 00    |

| Ligustrum (cont.)<br>" ovalifolium, California Privet | Per 1 | 10              | Per 1           | LO  |
|---|-------|-----------------|-----------------|-----|
| 18 to 24 in\$ 15 00 per 100                           | 0     | 25              | 2               | 0   |
| 2 to 3 ft 25 00 per 100                               | Ŏ     | $\frac{1}{35}$  | $\bar{3}$       | _   |
| 3 to 4 ft 30 00 per 100                               | Õ     | 50              | 3               |     |
| 18 to 24 in. heavy trans., \$35 0                     |       | •               | •               | Ŭ   |
| per 1000  |       | 00              | 5               | 0   |
| 2 to 3 ft. heavy trans., 40                           | 00    |                 | -               | Ī   |
| per 1000  |       | 25              | 6               | 0   |
| 3 to 4 ft. heavy trans., 60 0                         |       |                 |                 | -   |
| per 1000  |       | 35              | 8               | 0   |
| 4 to 5 ft. heavy trans., 80 0                         |       |                 |                 |     |
| per 1000  |       | 50              | 10              | 0   |
| 5 to 6 ft. heavy trans 100 0                          |       | •               |                 | ·   |
| per 1000  |       | 00              | 12              | 0   |
| 6 to 8 ft heavy trans.,                               |       | 00              | 35              |     |
| " ovalifoilum aureum, Golden-leaved Prive             |       |                 |                 | ·   |
| 18 to 24 in. bushy, 5 inch pots                       |       | 50              | 30              | n   |
| 2 to 3 ft   |       | 75              | 17              |     |
|   | • т   | 10              | 11              | U   |
| vuigare. Common i livet                               |       | 0.5             | -               | ^   |
| 18 to 24 in   |       | 65              | 5               |     |
| 2 to 3 ft   |       | 85              | 6               |     |
| 3 to 4 ft   | . 1   | 00              | 8               | 0   |
| indera Benzoin, (Benzoin odoriferum) Spice            | bush  |                 |                 |     |
| 2 to 3 ft   | . 1   | 75              | 17              | 0   |
| onicera bella candida, Bush Honeysuckle               |       |                 |                 |     |
| 2 to 3 ft   | . 1   | 00              | 10              | 0   |
| 3 to 4 ft   |       | 25              | $\overline{12}$ |     |
| 4 to 5 ft   |       | 50              | 15              | - 7 |
| " fragrantissima                                      | -     | •               |                 | Ĭ   |
| 2 to 3 ft   | 1     | 50              | 15              | Λ   |
| 3 to 4 ft   |       | 85              | 18              |     |
| 4 to 5 ft   |       | 50              |                 |     |
| ·   | 4     | . 50            | 20              | U   |
| gladca (diolca)                                       |       | ~ =             |                 | _   |
| 2 to 3 ft   |       | $\frac{25}{25}$ | 10              | _   |
| 3 to 4 ft   | . 1   | 50              | 12              | 0   |
| " Ledebouri   |       |                 |                 |     |
| 2 to 3 ft   | . 1   | 25              | 10              | 0   |
| 3 to 4 ft   | 1     | 35              | 11              | 0   |
| " Morrowi   |       |                 |                 |     |
| 2 to 3 ft   | . 1   | 25              | 11              | 0   |
| 3 to 4 ft   | -     | 35              | 13              |     |
|   | -     | -               |                 | -   |
| " Ruprechtiana 2 to 3 ft                              | -1    | 00              | 0               | Λ   |
|   |       | 00              | 9<br>10         |     |
|   |       | 25              |                 | _   |
| 4 to 5 ft   | 1     | 35              | 12              | U   |
| " Tatarica alba, White Bush Honeysuckle               |       |                 |                 | _   |
| 2 to 3 ft   |       | 25              | 11              |     |
| 3 to 4 ft   | . 1   | 35              | 13              | 0   |
| " Tatarica rubra, Red Bush Honeysuckle                |       |                 |                 |     |
| 2 to 3 ft   | . 1   | 25              | 11              | 0   |
| 3 to 4 ft   | . 1   | 35              | 13              | 0   |
| " Tatarica grandiflora rosea, Pink                    | _     |                 |                 | ·   |
| 18 to 24 in   | . 1   | 00              | 9               | 0   |
| 2 to 3 ft   |       | 25              | 11              |     |
| 3 to 4 ft   |       | 35              | 13              |     |
| " Xylosteum, Fly Honeysuckle                          | _     |                 |                 | Ĭ   |
| 2 to 3 ft   | . 1   | 25              | 10              | 0   |
| 3 to 4 ft   | -     | 35              | 12              |     |
| Mohrodendron, See Halesia                             |       | 55              |                 | ,   |
| nomodeliulon, Dee Italesia                            |       |                 |                 |     |

| Myrica cerifera, Wax Myrtle 18 to 24 in                | Per 1         | 00              | Per 20 | 00  |
|--|---------------|-----------------|--------|-----|
| Opulaster, See Spirea opulifolia                       |               |                 |        |     |
| Oxydendrum arboreum (Andromeda) Sorrel-tr 2 to 3 ft    | ee<br>3       | 00              | 30     | 00  |
| Philadelphus coronarius, Sweet flowered Mock 2 to 3 ft | 1             | 25              |        | 00  |
| 3 to 4 ft  |               | )               |        | 00  |
| 18 to 24 ft  |               | 00<br>One       |        | 00  |
| 18 to 24 in  |               | 00              |        | 00  |
| 2 to 3 ft  |               | 25              |        | 00  |
| 3 to 4 ft  | 7             | 35              | 12     | 00  |
| " coronarius nanus, Dwarf Mock Orange 18 to 24 in      |               | 85<br>00        |        | 00  |
|  | 1             | VV              | ð      | ŲŲ  |
| " Lemoinei erectus 2 to 3 ft                           |               | $\frac{00}{25}$ |        | 00  |
| Physocarpus. See Spirea opulifolia                     |               |                 |        |     |
| Potentilla fruticosa. Cinquefoil                       |               |                 |        |     |
| 18 to 24 in  | 1             | 00              | 10     | 00  |
| Prinos verticillata, See Ilex                          |               |                 |        |     |
| Prunus Japonica, See Amygdalus nana                    |               |                 |        |     |
|  |               |                 |        |     |
| " Persica, Double red flowering Peach 3 to 4 ft        | 1             | 20              | 1 2    | 00  |
| " Persica, Double pink flowering Peach                 | 1             | 80              | 10     | 00  |
| 3 to 4 ft  | 1             | 80              | 18     | 00  |
| " Persica, Double white flowering Peach                |               |                 |        |     |
| 3 to 4 ft  | 1             | 80              |        | 00  |
| 3 to 4 ft  | 1             | 50              | 15     | 00  |
| " triloka, Double flowering Plum 2 to 3 ft             | 2             | 00              | 20     | 00  |
| Ptelea trifoliata, Hop Tree                            | 4             | •               | 0      | 0.0 |
| 3 to 4 ft  | $\frac{1}{1}$ |                 | 10     | 00  |
| 5 to 6 ft  | 1             |                 | 12     |     |
| Pyrus Japonica, See Cydonia                            |               |                 |        |     |
| Pyrus melanocarpa, See Aronia                          |               |                 |        |     |
| Pyrus Bechtel's and other varieties, See Malus,        | tree          | sec             | tion   |     |
| Rhamnus catharticus, Buckthorn                         |               |                 |        |     |
| 18 to 24 in  |               | 75<br>05        |        | 00  |
| Rhodotypos kerrioides, White Kerria                    | Ċ             | 85              | O      | 00  |
| 12 to 18 in  |               | 75              | 6      | 00  |
| 18 to 24 in  | 9             | 90,             | 8      | 00  |
| 2 to 3 ft  | 1 (           |                 | 10     |     |
| 18 to 24 in  | 2 5           |                 | 22     |     |
| 4 to 5 ft  | 5 (           | <i>J</i> U      | 50     | UU  |
| 2 to 2½ ft   | 2 (           | 00              | 20     | 00  |
|  |               |                 |        |     |

| Rhus (cont.) " Cotinus Nict Smoke bush                                | Per 10  | Per 100   |
|---|---|---|
| " Cotinus, Mist, Smoke bush 18 to 24 in                               | $\begin{array}{ccc} 1 & 00 \\ 1 & 25 \\ 1 & 75 \end{array}$ |   |
| " glabra, Smooth Sumach 2 to 3 ft                                     | $90 \\ 1 25$  | 8 00<br>10 00                                       |
| " glabra laciniata, Cut-leaved Sumach 15 to 18 in                     | $\begin{array}{ccc} 1 & 75 \\ 2 & 50 \end{array}$           |   |
| " semialata Osbeckii, Japanese Sumach 4 to 5 ft                       | 5 00  |   |
| " typhina, Staghorn Sumach 2 to 3 ft  " typhina laciniata, Cut-leaved | 90  | 8 00  |
| 2 to 3 ft   | 1 25  | 12 00   |
| 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.                       | 75 1 00 1 25 1 35   | 6 00<br>9 00<br>11 00<br>13 00                      |
| Rosa blanda (Virginiana) 18 to 24 in                                  | 1 25  | 11 00   |
| " Carolina 2 to 3 ft  | $egin{array}{ccc} 1 & 25 \\ 1 & 35 \end{array}$             | $\begin{array}{ccc} 11 & 00 \\ 12 & 00 \end{array}$ |
| " humilis 18 to 24 in   | $\begin{array}{cc} 1 & 25 \\ 1 & 35 \end{array}$            | $\begin{array}{ccc} 11 & 00 \\ 12 & 00 \end{array}$ |
| " lucida 18 to 24 in  | 1 25  | 11 00   |
| " lucida alba 18 to 24 in   | 2 25  |   |
| 18 to 24 in   | $\begin{array}{cc}1&25\\1&35\end{array}$                    | $\begin{array}{cc} 11 & 00 \\ 12 & 00 \end{array}$  |
| 18 to 24 in   | 1 25  | 11 00   |
| 18 to 24 in   | $egin{array}{ccc} 1 & 00 \\ 1 & 25 \\ 1 & 35 \end{array}$   | 9 00<br>11 00<br>12 00                              |
| " rubifolia (ferruginea) 2 to 3 ft                                    | 1 25  | 11 00   |
| " rugosa rubra, Japanese rose, Red  18 to 24 in                       | $\begin{array}{cc} 1 & 25 \\ 1 & 35 \end{array}$            | $11 00 \\ 12 00$                                    |
| " rugosa alba, Japanese rose, White  18 to 24 in.  2 to 2½ ft.        | 1 25<br>1 35  | 12 00<br>13 00                                      |
| " Rugosa Conrad Ferdinand Meyer, double 2 year                        | pink<br>1 50  |   |
| " rugosa Md. Geo. Bruant, double white 2 year                         | 1 50  |   |
| " setigera, Prairie Rose 2 to 3 ft                                    | 1 25  | 11 00   |

#### Climbing and Pillar Roses

| <del>-</del>                                |      |       |
|---|------|-------|
| Rose Crimson Rambler, Double crimson        |      |       |
| 2 to 3 ft                                   |      |       |
| " Mme. Plantier, Double white               | 2 00 | 20 00 |
| 5 inch pots                                 | 2 00 |       |
| " Pink Rambler, Double pink 5 inch pots     | 2 00 |       |
| " Queen of Prairie, Double pink 5 inch pots | 2 00 |       |

#### New Baby Ramblers

| Rose Baby Rambler, Double red          | Per 10 | Per 100 |
|--|--------|---------|
| 18 to 24 in                            | 1 50   |         |
| " Catharine Zeimet, White Baby Rambler |        |         |
| 12 to 18 in                            | 1 50   |         |

### Roses - Hybrid Perpetual, Etc.

|                       |              | Pe | r 10 | Per 100 |
|-----------------------|--------------|----|------|---------|
| Assorted varieties, 2 | years, No. 1 |    | 2 00 | 20 00   |

#### LIST OF VARIETIES OF HYBRID ROSES

Coquette des Alpes, flesh white Frau Karl Druschki, pure white General Jacquiminot, brilliant crimson Gruss an Teplitz, dark red Hermosa, pink Kaiserin Auguste Victoria, creamy white Killarney, soft pink Madam Caroline Testout, soft pink Magna Charta, pink, suffused with carmine Maman Cochet, pink Maman Cochet, white Margaret Dickson, white, pale flesh center Mrs. John Laing, soft pink Paul Neyron, deep rose Persian Yellow Prince Camille de Rohan, velvety crimson Soliel d'Or, golden yellow Souv. de Pierre Notting, yellow with carmine Ulrich Brunner, cherry red

#### Wichuraiana and Hybrids

| Rose | Wichuraiana, Memorial Rose                |     |    |       |
|------|---|-----|----|-------|
|      | 2 to 3 ft                                 | 1   | 25 | 10 00 |
| "    | Dorothy Perkins, Pink, Double             |     |    |       |
|      | 2 to 3 ft                                 | 1   | 25 | 12 00 |
| 44   | Evergreen Gem, White, buff in bud, Doub   | le  |    |       |
|      | 2 to 3 ft                                 | 1   | 25 | 12 00 |
| 4.   | Jersey Beauty, Buff. yellow stamens, Sing | gle |    |       |
|      | 2 to 3 ft                                 | 1   | 25 | 12 00 |
| -44  | Lady Gay, Clear pink                      |     |    |       |
|      | 2 to 3 ft                                 | 1   | 25 | 12 00 |

| Rose  | (Cont.)                                  | Per 10 | Per I            | 100      |
|-------|--|--------|------------------|----------|
|       | Manda's Triumph, White, Double 2 to 3 ft | . 12   | 25 12            | 00       |
|       | 5 inch pots                              |        |                  | 00       |
| "     | Pink Roamer, Pink, Single                |        |                  |          |
|       | 2 to 3 ft                                |        | 25 	 12          | 00       |
| "     | South Orange Perfection, White, Double   |        |                  |          |
|       | 2 to 3 ft                                | 12     | $25 	ext{12}$    | 00       |
| "     | Universal Favorite, Rose, Double         |        |                  |          |
|       | 2 to 3 ft                                |        |                  | 00       |
|       | •  | . 4    | ,0               |          |
| Rubi  | us Canadensis rosea                      | 1 (    | DE 10            | 00       |
| _     |  | . 12   | 29 10            | 00       |
| Sam   | bucus Canadensis, Elderberry             |        |                  | 0.0      |
| "     | 18 to 24 in                              |        | 90 8             | 00       |
|       | nigra aurea, Golden Elderberry 2 to 3 ft | . 12   | 25 10            | 00       |
| 44    | nigra laciniata, Cut-leaved Elderberry   | . 12   | 10 10            | 00       |
|       | 18 to 24 in                              | . 1 (  | 00 9             | 00       |
|       | 2 to 3 ft                                | . 12   |                  | 00       |
|       | 3 to 4 ft                                | . 13   | 35 - 12          | 00       |
| "     | racemosa, Red-berried Elderberry         |        |                  |          |
|       | 18 to 24 in                              | 12     | 25 12            | 0(       |
|       | 2 to 3 ft                                | . 13   | 35 13            | 00       |
| Sorb  | aria sorbifolia, see Spiraea sorbifolia  |        |                  |          |
| Spira | aea Anthony Waterer. Pink, Dwarf         |        |                  |          |
| - 8   | 18 to 24 in                              | . 12   | $25 	ext{12}$    | 00       |
| "     | arguta, White                            |        |                  |          |
|       | 2 to 3 ft                                | . 12   | 25 11            | 00       |
| "     | Billardii, Pink                          | ٦ (    | 00 0             | 0.0      |
|       | 3 to 4 ft                                |        |                  | 00<br>00 |
|       | 5 to 6 ft                                |        |                  | 00       |
| "     | callosa alba, Dwarf, White               |        | ,                |          |
|       | 18 to 24 in                              | . 12   | 25 11            | 00       |
| 46    | callosa rosea, (Japonica), Pink          |        |                  |          |
|       | 2 to 3 ft. \                             |        |                  | 00       |
|       | 3 to 4 ft                                | . 12   | 25 <b>11</b>     | 00       |
| 44    | callosa superba, Dwarf, Light pink       | ٠      |                  |          |
|       | 18 to 24 in                              |        |                  | 00       |
| 44    | 2 to 2½ ft                               | . 12   | 20 10            | U        |
| ••    | Douglasi rosea, Pink 2 to 3 ft           | . 1 (  | 00 8             | 00       |
|       | 3 to 4 ft                                |        |                  | 00       |
| 4     | opulifolia, (Physocarpus, Opulaster), Ni |        |                  |          |
|       | 2 to 3 ft                                |        | <sup>25</sup> 10 | 00       |
|       | 3 to 4 ft                                |        |                  | 00       |
|       | 4 to 5 ft                                | . 1    | 50 12            | 00       |
| 44    | opulifolia aurea, Golden leaved          | 4 4    | 95 11            | Δ.       |
|       | 2 to 3 ft                                |        |                  | 00<br>00 |
| 44    | prunifolia fl. pl. Bridal Wreath         | . т.   | ,, 10            | 0(       |
|       | 2 to 3 ft                                | . 1 2  | 25 12            | 00       |
|       | 3 to 4 ft                                |        |                  | 00       |
| 44    | Reevesiana, single, (Cantoniensis) Whit  |        |                  |          |
|       | 2 to 3 ft                                |        |                  | 00       |
|       | 3 to 4 ft                                | . 12   | $25 	ext{ } 12$  | 00       |

| Spiraea (cont.)                                      | Per 10      | Per 100       |  |  |
|--|-------------|---------------|--|--|
| " Reevesiana fl. pl. (Cantoniensis) Double           | white       |               |  |  |
| 2 to 3 ft  |             |               |  |  |
| 3 to 4 ft  |             |               |  |  |
| 4 to 5 ft  | 1 5         | 50 15 00      |  |  |
| " sorbifolia (Sorbaria)                              |             |               |  |  |
| 2 to 3 ft  | 1 3         | 35  13  00    |  |  |
| " Thunbergii. White                                  |             |               |  |  |
| 18 to 24 in  | 1 2         | 25 	 12 	 00  |  |  |
| " Van Houttei  |             |               |  |  |
| 18 to 24 in  | 7           | 5 6 00        |  |  |
| 2 to 3 ft  |             | 8 00          |  |  |
| 3 to 4 ft  | 1 (         | 00 10 00      |  |  |
| Staphyllea colchica                                  |             |               |  |  |
| 3 to 4 ft  | 3 (         | 00 27 00      |  |  |
| Stephanandra flexuosa, White                         |             |               |  |  |
| 2 to 3 ft  | 1 2         | 25 11 00      |  |  |
| 3 to 4 ft  | . 1         | $35  13 \ 00$ |  |  |
| Styrax Japonica                                      |             |               |  |  |
| 2 to 3 ft  |             |               |  |  |
| 3 to 4 ft  |             |               |  |  |
| 4 to 5 ft  |             |               |  |  |
| 5 to 6 ft White Snewherny                            | 5 (<br>Woyl |               |  |  |
| Symphoricarpos racemosus, White Snowberry, 2 to 3 ft |             |               |  |  |
| 3 to 4 ft  |             |               |  |  |
| " vulgaris, Indian Currant, Coral Berry              | т ,         | 00 10 00      |  |  |
| 18 to 24 in  | 9           | 35 7 00       |  |  |
| 2 to 3 ft  |             |               |  |  |
| 3 to 4 ft  |             |               |  |  |
| Syringa Japonica, Japanese Tree Lilac                |             |               |  |  |
| 3 to 4 ft  | . 3         | 50            |  |  |
| " Persica alba, White Persian Lilac                  |             |               |  |  |
| 2 to 3 ft  | 1 1         | 75 17 00      |  |  |
| 18 to 24 in  | . 1 :       | 25 12 00      |  |  |
| 2 to 3 ft  |             |               |  |  |
| 3 to 4 ft  |             |               |  |  |
| " vulgaris, Common purple Lilac                      |             |               |  |  |
| 18 to 24 in  |             |               |  |  |
| 2 to 3 ft  |             | 25 11 00      |  |  |
| 3 to 4 ft  |             |               |  |  |
| 4 to 5 ft  | 2 (         | J0            |  |  |
| " vulgaris alba, Common white Lilac 18 to 24 in      | . 1 (       | 00 10 00      |  |  |
| 2 to 3 ft  |             |               |  |  |
| 3 to 4 ft  |             |               |  |  |
|  |             |               |  |  |
| Choice Named Lilacs—Single and Double                |             |               |  |  |
|  | Per 1       | 0 Per 100     |  |  |
| Alphonse Lavalle, Blue, Double, Large panicle        |             |               |  |  |
| 18 to 24 in  | $\sim 2$    |               |  |  |
| 2 to 3 ft  |             | 00            |  |  |
| Belle de Nancy, Satiny rose, Double. Very larg       | e           |               |  |  |
| 2 to 3 ft  | . 3         | 00            |  |  |

| Lilacs, Named, (cont.)                            | Per 10                      | Per 100               |
|---|-----------------------------|-----------------------|
| Congo. Red, Single, Very large                    |                             |                       |
| 18 to 24 in                                       | $\frac{2}{50}$              |                       |
| 3 to 4 ft   | 350                         |                       |
| Dr. Masters, Clear lilac, Double, Superb          |                             |                       |
| 18 to 24 in                                       | $2 \ 50$                    |                       |
| 3 to 4 ft   | 350                         |                       |
| Frau Dammann, White, Single, Very large           |                             |                       |
| 18 to 24 in                                       | $2 \ 50$                    |                       |
| 2 to 3 ft   | 3 00                        |                       |
| Ludwig Spaeth, Purplish red, Single, Large        |                             |                       |
| 18 to 24 in                                       | 2 50                        |                       |
| 2 to 3 ft   | $\frac{1}{3} 00$            |                       |
| 3 to 4 ft   | 3 50                        |                       |
| Mme. Abel Chatenay, White, Double, Very fine      |                             |                       |
| 2 to 3 ft   | 3 00                        |                       |
| 3 to 4 ft   | 3 50                        |                       |
|   |                             |                       |
| Mme. Casimir Perier, Creamy white, Double, S      |                             |                       |
| 18 to 24 in                                       | $\frac{2}{3}$ 50            |                       |
|   | 3 00                        |                       |
|   | 3 50                        |                       |
| Marie Legraye. White, Single, Large panicles      |                             |                       |
| 18 to 24 in                                       | 2 50                        |                       |
| 2 to 3 ft   | 3 00                        |                       |
| President Grevy, Blue, Double, Very large         |                             |                       |
| 2 to 3 ft   | 3 00                        |                       |
| 3 to 4 ft   | 3 50                        |                       |
| President Viger, Bluish lilac, Double, Extra fine | <del>.</del>                |                       |
| 18 to 24 in                                       | 2 50                        |                       |
| 3 to 4 ft   | 3 50                        |                       |
| Princess Alexandra, White, Single, Large          | 0 00                        |                       |
| 18 to 24 in                                       | 2 50                        |                       |
| 3 to 4 ft   | 3 50                        |                       |
|   | 0 00                        |                       |
| Senator Volland, Bright rosy red, Double          | 9 00                        |                       |
| 2 to 3 ft   | 3 00                        |                       |
| 3 to 4 ft   | 3 50                        |                       |
| Tamarix Africana, (parviflora)                    |                             |                       |
| 2 to 3 ft   | 90                          | 8 00                  |
| " Gallica   |                             |                       |
| 2 to 3 ft   | 90                          | 8 00                  |
| " Gallica Indica                                  |                             |                       |
| 2 to 3 ft   | 90                          | 8 00                  |
| " Odessana  |                             |                       |
| 3 to 4 ft   | 1 00                        | 10 00                 |
|   | 1 00                        | 10 00                 |
| Viburnum dentatum. Arrow-wood                     | 1 00                        | 10.00                 |
| 18 to 24 in                                       | 1 00                        | 10 00                 |
| 2 to 3 ft   | 1 25                        | 12 00                 |
| 3 to 4 ft   | 1 35                        | <b>1</b> 3 <b>0</b> 0 |
| " Japonicum (Sieboldi)                            |                             |                       |
| 5 to 6 ft   | 5 00                        |                       |
| " Lantana, Hobble bush, Wayfaring tree            |                             |                       |
| 2 to 3 ft   | 1 25                        | <b>11 0</b> 0         |
| 3 to 4 ft   | 1 50                        |                       |
| " Lentago, Sheep berry                            |                             |                       |
| 2 to 3 ft   | 2 00                        | 20 00                 |
| 3 to 4 ft   | $\frac{2}{2} \frac{50}{50}$ | 25 00                 |
| " nudum cassinoides                               |                             |                       |
| 2 to 2½ ft  | 2 00                        | 20 00                 |
| /   |                             |                       |

| Viburnum (cont.)   | Per 10  | Per 100   |
|--|---|---|
| " Opulus, see oxycoccos  |   |   |
| " Opulus sterile, Common Snowball 2 to 3 ft                                      | $\begin{array}{ccc} 1 & 00 \\ 1 & 25 \\ 1 & 50 \end{array}$ | $\begin{array}{ccc} 10 & 00 \\ 12 & 00 \\ 15 & 00 \end{array}$            |
| " oxycoccos (Opulus) High bush Cranberry 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.        | $\begin{array}{ccc} 1 & 00 \\ 1 & 25 \end{array}$           | $\begin{array}{ccc} 10 & 00 \\ 12 & 00 \\ 15 & 00 \end{array}$            |
| " plicatum, Japanese Snowball  18 to 24 in                                       | 1 25<br>1 50<br>2 00<br>2 50                                | $\begin{array}{ccc} 12 & 00 \\ 15 & 00 \\ 20 & 00 \\ 25 & 00 \end{array}$ |
| " plicatum rotundifolium 2 to 3 ft   | 1 25<br>1 50  | 12 00   |
| " Sieboldi see Japonicum   |   |   |
| " tomentosum 2 to 3 ft   | $\begin{array}{ccc} 1 & 25 \\ 1 & 50 \end{array}$           | $\begin{array}{ccc} 12 & 00 \\ 15 & 00 \end{array}$                       |
| Vitex Agnus-castus, Blue, Chaste shrub           2 to 3 ft.           4 to 5 ft. | $\begin{array}{cc} 1 & 35 \\ 2 & 00 \end{array}$            | 11 00<br>20 00  |
| " incisa 5 to 6 ft. 6 to 7 ft.   | $\begin{array}{ccc} 2 & 00 \\ 2 & 50 \end{array}$           | $\frac{20\ 00}{25\ 00}$   |
| Weigela candida, White  2 to 3 ft  | 1 25<br>1 50<br>2 00<br>2 25                                | 12 00°<br>15 00<br>18 00°<br>20 00  |
| " Eva Rathke, Crimson 2 to 3 ft  | 1 50<br>1 75  | 15 00<br>17 00  |
| " floribunda, crimson 3 to 4 ft  | 1 50  | 15 00   |
| " nana variegata, Variegated-leaved 2 to 3 ft                                    | 1 35  | 13 00   |
| " rosea, Pink 2 to 3 ft  | $\begin{array}{ccc} 1 & 25 \\ 1 & 50 \end{array}$           | $\begin{array}{ccc} 12 & 00 \\ 15 & 00 \end{array}$                       |
| " sessilifolia (lutea) 18 to 24 in   | 1 25  | 10 00   |
| Xanthoceras sorbifolia 18 in   | 3 50  |   |
| Xanthoxylum Americanum, Prickly Ash 2 to 3 ft                                    | 2 00  |   |
| Yucca filamentosa, Adam's Needle 4 years   | 1 25  | 10 00   |

## Vines and Climbers

| Akebia quinata  | Per 10          | Per 100           |  |
|---|-----------------|-------------------|--|
| 18 to 24 in   |                 | $10 \ 00$         |  |
| 2 to 3 ft   |                 | 12 00             |  |
| Ampelopsis quinquefolia (Virginia) Virginia                           |                 |                   |  |
| 3 year  | 75              | 6 00              |  |
| " quinquefolia Engelmanni 3 year                                      | 75              | 7 00              |  |
| 4 year  |                 |                   |  |
| " Veitchi (tricuspidata) Japanese or Bosto                            |                 |                   |  |
| 2 year  |                 | 8 00              |  |
| 3 year  | 1 00            | 9 00              |  |
| Aristolchia Sipho, Dutchman's Pipe                                    | 0.70            | 90.00             |  |
| 4 to 5 ft   | 2 50            | 20 00             |  |
| Bignonia radicans (Tecoma) Trumpet Vine, Or 18 to 24 in               |                 | 5 00              |  |
| 2 to 3 ft   |                 | 6 00              |  |
| 3 to 4 ft   |                 |                   |  |
| " radicans grandiflora. Yellow  |                 |                   |  |
| 18 to $\overline{2}4$ in  | 1 25            | 12 00             |  |
| Celastrus scandens, Bittersweet                                       |                 |                   |  |
| 18 to 24 in   |                 |                   |  |
| $2\frac{1}{2}$ to 3 ft  | 1 25            | 11 00             |  |
| Clematis paniculata, White  | 1 0             | 0 0 70            |  |
| 2 year  | . 10            | 0 8 50            |  |
| " Virginiana, Virgin's Bower 5 in. pots                               | 2 00            | 20 00             |  |
| Clematis, Hybrid, strong  | 2 00            | 20 00             |  |
| 2 years   | 2 50            |                   |  |
| LIST OF VARIETIES OF HYBRID CLEMATIS                                  |                 |                   |  |
| Gypsy Queen, dark blue  |                 |                   |  |
| Henryli, white  |                 |                   |  |
| Jackmanni, purple   |                 |                   |  |
| Lawsoniana, light blue  |                 |                   |  |
| Sieboldi, lavendar  |                 |                   |  |
| Ville de Lyon, bright red<br>Dolichos Japonica (Pueraria) Kudzer Vine |                 |                   |  |
| 5 in. pots  | 2 00            | $20 \ 00^{\circ}$ |  |
| Euonymus radicans   |                 |                   |  |
| 2 year  | 1 00            | 8 00              |  |
| 5 inch pots   | 2 00            |                   |  |
| " radicans variegata 5 inch pots                                      | 2 00            |                   |  |
| Hedera Helix, English Ivy   | 2 00            |                   |  |
| 5 inch pots   | 2 00            | $20 \ 00$         |  |
| Humulus Lupulus, Hop-vine   |                 | 0.00              |  |
| 18 to 24 in Goldon loaved Hon   | 75              | 6 00              |  |
| Lonicera brachypoda aurea Golden-leaved Hon 5 inch pots               | eysucki<br>2 00 | e                 |  |
| " Halleana, Hall's Honeysuckle  | <b>2</b> 00     |                   |  |
| 2 year  | 85              | 8 00              |  |
| 5 inch pots   | 2 00            |                   |  |
| Menispermum Canadense, Moon-seed                                      | 1 25            | 10 00             |  |
| 2 year  | T 49            | 10 00             |  |

#### Vines and Climbers (Continued)

Periwinkle, see Vinca minor

Pueraria Thunbergiana, see Dolichos

Roses, Climbing, Creeping and Pillar, see shrubs

Schizophragma, see Hydrangea scandens

multijuga, Japanese blue Wistaria 18 to 24 in. .....


| Tecoma, see Bignonia radicans                             |        |                          |
|---|--------|--------------------------|
|   | Per 10 | $\operatorname{Per} 100$ |
| Vinca minor, Periwinkle, Myrtle 3 inch pots               | . 75   | 6 00                     |
| Vitis cordifolia, Chicken Grape 5 inch pots               | 2 00   |                          |
| " riparia (vulpina) Sweet-flowered grape 5 inch pots      | 2 50   |                          |
| Wistaria Chinensis, Chinese blue Wistaria<br>Strong 4 ft. | 3 00   | 30 00                    |
| " Chinensis alba. Chinese white Wistaria Strong 4 ft      | 3 00   | 30 00                    |

# Juniperus Japonica Aurea

#### Golden Japanese Juniper

A dwarf, golden variety of the Japanese Juniper, having habit of growth similar to the Savin Juniper. It is useful to impart color to a group of other evergreens, or for planting in the foreground of masses. Perfectly hardy and especially adapted to shore planting as the sea air tends to liven the beautiful golden color of its foliage.

This cut illustrates our method of digging all evergreens with a ball of earth and sewing the ball in burlap. We were the first to handle evergreens by this method. Now it is almost universal.



# Evergreens

# See also Evergreen Shrubs

In no other class of nursery stock are prices usually so deceptive as they are in evergreens, because the height shown in the list gives no idea of the quality. Quality is represented by the bushiness of the plant and the number of times it has been transplanted, because transplanting is what produces the fibrous root system, so all important to an evergreen. Good feeding is also necessary to impart health, vigor and the rich color to the foliage.

Our aim is to produce the best. Health, vigor, good color and an abundant root system, and to accomplish this, we transplant our evergreens every two years into new, heavily manured ground.

All evergreens are dug with ball of earth and the ball sewed in burlap. The cost of this is included in the price quoted in the catalogue.

Per 10 Per 100 Abies, see also Picea brachyphylla 2½ to 3 ft. Douglasi, See Pseudotsuga Douglasi Fraseri, Fraser's Silver Fir 5 to 6 ft. ..... 30 00 2 to 2½ ft. ..... 3 to 3½ ft. ..... 17 50 Veitchii, Japanese Fir to 2½ ft. ..... 20 00  $2\frac{1}{2}$  to 3 ft. ..... 25 00 27 50 to 3½ ft. ..... 30 00 3½ to 4 ft. ..... 35 00 ft.

Abies Veitchii is a Japanese Fir, thoroughly tested and found to be perfectly hardy in the United States and is one of the finest evergreens. In form of growth it is like the Silver Fir. The under side of the foliage is a silvery-grey which imparts a soft, handsome tone to the plant.

| Cupressus La | awsoniar | na Alumi, | Blue Lawson' | s Cypress |
|--------------|----------|-----------|--------------|-----------|
| 21/2         | to 3     | ft        |              | 12 50     |
| 3            | to 316 1 | ft        |              | . 15 00   |



#### Juniperus Chinensis

Chinese Juniper are useful for filling in evergreen beds. They naturally make a close growth though not solid like the Chinensis argentea variegata type. The foliage is light green in color.

# Junipers for Ornamental Planting


Throughout the entire list of Evergreens there are none so useful as the Junipers. First they have the advantages of hardiness, and adaptability to almost all soils and situations. Then they have a character all their own, and the great diversity of color of foliage makes it possible to plant an entire bed or group of them without the use of other species which may not be as hardy or satisfactory. We have gradually been extending our plantings of these Junipers until now we believe we have one of the largest and finest collections in any nursery in this country.

Juniperus Canadensis, Canadian Juniper

This is not the spreading variety of golden Juniper. It is of upright habit. The spreading form is the communis aurea. We have none in stock.

# Juniperus Chinensis argentea

This is one of the hardiest of the Junipers and used largely for massing in evergreen beds. It has a compact and symmetrical habit. The foliage is of light green color, tipped here and there with a yellowish white variegation. We consider this one of the best of the Junipers of this form of growth.



| Juni | perus, (co | nt.)   |      |     |      |     |            |      |         | Per 1 | 10  | Per 100         |
|------|------------|--------|------|-----|------|-----|------------|------|---------|-------|-----|-----------------|
| 66   | Chinensis  | , Chi  | nese | Jun | ipei | •   |            | -    |         |       |     |                 |
|      | 2⅓ t       | o 3    | ft.  |     |      |     |            |      |         | 15    | 00  |                 |
|      | 3 t        | o 3½   | ft.  |     |      |     |            |      |         | 17    | 50  |                 |
|      | 4 t        | o 5    | ft.  |     |      |     |            |      |         | 25    | 00  |                 |
|      | 5 t        | o 6    | ft.  |     |      |     | <b>.</b> . |      |         | 30    | 00  |                 |
| -44  | Chinensis  | arge   | ntea | Var | iega | ta, | Var        | iega | ated    | Chine | ese | Junipe <b>r</b> |
|      | 12 to      | 18 in. |      |     |      |     |            |      |         | 5     | 00  |                 |
|      | 18 to      | 24 in. |      |     |      |     |            |      |         | 10    | 00  |                 |
|      | 2⅓ t       | o 3    | ft.  |     |      |     |            |      |         |       |     |                 |
|      | 3 t        | o 3½   | ft   |     |      |     |            |      |         |       | -   |                 |
|      | 3½ t       | o 4    | ft.  |     |      |     |            |      |         | 17    | 50  |                 |
|      | 4 t        | o 5    | ft.  |     |      |     |            |      | • • • • | 20    | 00  |                 |
|      | -          |        |      |     |      |     |            |      |         |       |     |                 |



Juniperus Chinensis Pfitzeriana

This is without a doubt the most beautiful and graceful of all evergreens. It seems almost impossible to describe its beauty, and we must let the illustration speak for itself. The color of the foliage is dark green without shade or variegation of any sort. It is perfectly hardy anywhere in this country. We have unquestionably the largest stock of this wonderful evergreen in the United States.

| Juniperus, (cont.)                          | Per 10                      | Per 100 |
|---|-----------------------------|---------|
| " Chinensis Pfitzeriana                     |                             |         |
| 18 to 24 in                                 | 12 50                       |         |
| 2 to 2½ ft                                  | $\frac{1}{22} \frac{1}{50}$ |         |
| 2½ to 3 ft                                  |                             |         |
| 3 to 3½ ft                                  |                             |         |
| 3½ to 4 ft                                  |                             |         |
| 5 to 6 ft                                   |                             |         |
| 0 to 0 It                                   | 00 00                       |         |
| " Chinensis Reevesi                         |                             |         |
| 2½ to 3 ft                                  | 17 - 50                     |         |
| 5 to 6 ft                                   | 35 00                       |         |
|   | 00 00                       |         |
| " communis, Common Juniper                  |                             |         |
| 2½ to 3 ft                                  | 15 00                       |         |
| 3 to 3½ ft                                  | 17 50                       |         |
| 3½ to 4 ft                                  | $20 \ 00$                   |         |
| "   |                             |         |
| communis obioliga pendula                   | 20.00                       |         |
| 3½ to 4 ft                                  |                             |         |
| 4 to 5 ft                                   | $25 \ 00$                   |         |
| " Japonica argentea variegata, Silver-tippe | d Junin                     | er      |
| 18 to 24 in                                 |                             |         |
| 10 (0 21 111.                               | 12 00                       |         |
| " Japonica aurea, Golden Japanese Juniper   |                             |         |
| 2 to 2½ ft                                  | 15 00                       |         |
| 2½ to 3 ft                                  | 17 50                       |         |
| 3 to 3½ ft                                  |                             |         |
|   |                             |         |



Juniperus Sabina tamaricifolia

There are but few varieties of Creeping evergreens, and none so good as the Juniperus tamaricifolia. It creeps almost on the ground and is useful for rockeries or for planting edges of evergreen beds. The foliage is rich green with here and there a silvery tint. It is not a coarse grower like the Juniperus recurva squamata.


| Juniperus, (cont.)<br>" Neaboriensis   | Per 10   | Per 100                    |
|--|--|----------------------------|
| 3 to 3½ ft   |  |                            |
| 4 to 5 ft  | 30 00  |                            |
| " recurva squamata 5 to 6 ft   | 50 00  |                            |
| " Sabina, Savin Juniper 2½ to 3 ft   |  |                            |
| " Sabina tamaricifolia, Creeping Juniper 12 to 15 in. broad                      | 12 50  |                            |
| " Virginiana, Red Cedar 3 to 3½ ft. 3½ to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. | $\begin{array}{ccc} 12 & 50 \\ 15 & 00 \\ 17 & 50 \end{array}$ | 135 00<br>150 00<br>175 00 |
| " Virginiana Cannartii $2\frac{1}{2}$ to $3$ ft                                  | 17 50  |                            |
| " Virginiana cylindrica  3½ to 4 ft  |  |                            |
| " Virginiana elegantissima Lee, Golden-tip 3½ to 4 ft                            | ped Jun<br>20 00   | iper                       |



Juniperus Virginiana elegantissima Lee

The silvery-yellow of the young growth imparts a softness to the foliage entirely unlike the strong color of some of the other yellow foliaged evergreens. It is beautiful either as a single specimen or when used in mass evergreen planting.

| Juniperus, (cont.)                         | Per 10    | Per 100 |
|--|-----------|---------|
| " Virginiana glauca, Blue Red Cedar        |           |         |
| 2 to 2½ ft                                 | $13 \ 50$ |         |
| 2½ to 3 ft                                 |           |         |
| 3 to 3½ ft                                 |           |         |
| 0 0 0 /2 20 1111111111111111111111111111   |           |         |
| 3½ to 4 ft                                 |           |         |
| 4 to 5 ft                                  |           |         |
| 5 to 6 ft                                  | $30 \ 00$ |         |
| 6 to 7 ft                                  | 40 00     |         |
|  |           |         |
| " Virginiana globosa, Globe Red Cedar      |           |         |
| 12 to 18 in                                | $13 \ 50$ |         |
| 18 to 24 in                                |           |         |
| 10 to 21 in                                | 19 00     |         |
| " Virginiana pendula, Weeping Red Cedar    |           |         |
| 4 to 5 ft                                  | 30 00     |         |
| 5 to 6 ft                                  |           |         |
| 0 00 0 10.                                 | 10 00     |         |
| " Vinniniana aliumaa aurunta sanianata T   |           |         |
| " Virginiana plumosa argentea variegata, V |           | pea     |
| 3½ to 4 ft                                 | 17 50     |         |
| 4 to 5 ft                                  | $25 \ 00$ |         |
| 5 to 6 ft                                  |           |         |
|  | 55 00     |         |



Juniperus Virginiana Schottii

The Juniperus Schottii takes the place of the Common Red Cedar in evergreen planting. It possesses the same character of growth and is quite as hardy. The foliage is of a rich green color.

| Juniperus, (cont.)      | Per 10    | Per 100 |
|-------------------------|-----------|---------|
| " Virginiana Schottii   |           |         |
| 2 to 2½ ft              |           |         |
| 2½ to 3 ft              | $15 \ 00$ |         |
| 3 to 3½ ft              | 17 50     |         |
| 4 to 5 ft               | $25 \ 00$ |         |
| 6 to 7 ft               | 40 00     |         |
| " Virginiana tripartita |           |         |
| 12 to 18 in             |           |         |
| 3 to 3½ ft              | $20 \ 00$ |         |
| 3½ to 4 ft              | 22 50     |         |
| 4 to 5 ft               | 30 00     |         |
| 5 to 6 ft               |           |         |



Juniperus Virginiana tripartita

The Juniperus tripartita is valuable as being unique in its character of growth. While the tendency of the centre stems is upright the side branches have almost a horizontal growth. In summer the foliage is green but as winter sets in it turns to a purplish-green color, which is quite attractive.


| ~  | T) 10                            | D 100           |
|--|----------------------------------|-----------------|
| Picea, See also Abies  | Per 10                           | Per 10 <b>0</b> |
| " concolor, Colorado Silver Fir 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. 4 to 5 ft. | 30 00<br>35 00<br>40 00<br>50 00 |                 |
| 5 to 6 ft  |                                  |                 |
| ** excelsa, Norway Spruce 2 to 3 ft  | . 13 50<br>. 15 00               | $125\ 00$       |
| ** excelsa Gregoriana, Dwarf Spruce 18 to 24 in  | . 12 50                          |                 |
| " excelsa inverta, Weeping Norway Spruc 4 to 5 ft  | . 20 00                          |                 |
| " excelsa nana compacta, Dwarf Spruce 12 to 15 in. broad                                   | . 10 00                          |                 |



Juniperus Virginiana glauca Blue Red Cedar

Everyone knows the Native Red Cedar, and there is no evergreen which just fills its place in landscape planting. This is a handsome variety of it, with steel blue foliage. Its hardiness extends to any part of the United States and Canada. We have probably the largest stock of this Blue Cedar in this country.

| Picea (cont.)                               | Per 10  | Per 100 |
|---|---------|---------|
| " excelsa pyramidalis, Pyramidal Norway     | Spruce  |         |
| 6 to 8 ft                                   | . 30 00 |         |
| " excelsa Maxwelli, Dwarf Norway Spruce     |         |         |
| 2 to 2¼ ft                                  | . 20 00 |         |
| " orientalis, Oriental Spruce               |         |         |
| 18 to 24 in                                 | . 10 00 |         |
| 2 to 2½ ft                                  | . 12 50 |         |
| 2½ to 3 ft                                  | . 15 00 |         |
| 3 to 3½ ft                                  | . 20 00 |         |
| " orientalis gracilis, Dwarf Oriental Spruc | e       |         |
| 18 to 24 in                                 | . 13 50 |         |
| 2 to 2½ ft                                  | . 15 00 |         |
| " polita, Tiger-tail Spruce                 |         |         |
| 18 to 24 in                                 | . 12 50 |         |
| 2 to 2½ ft                                  |         |         |
| 2½ to 3 ft                                  |         |         |
| 3 to 3½ ft                                  | . 25 00 |         |
| 5 to 6 ft                                   | . 50 00 |         |



#### Retinispora filifera aurea

The golden thread-leaved Retinispora is a valuable plant to impart color to a bed of evergreens. While it may not be termed a dwarf evergreen yet being of rather slow growth and compact habit it may be used where a small growing evergreen is needed.

| Picea (cont.)   | Per 10   | Per 1 | 00 |
|---|--|-------|----|
| " pungens Koster's glauca, Colorado Blue S  1½ to 2 ft.  2 to 2½ ft.  2½ to 3 ft.  3 to 3½ ft.  6 ft. | $\begin{array}{cccc} 15 & 00 \\ 20 & 00 \\ 25 & 00 \\ 30 & 00 \end{array}$ |       |    |
| " pungens glauca pendula, Weeping Blue S 5 to 6 ft  |  |       |    |
| Pinus Banksiana, Jack Pine  |  |       |    |
| 3 to 4 ft   | 10 00  | 90    | 00 |
| 4 to 5 ft   |  | 125   | 00 |
| 5 to 6 ft   | 17 50  | 150   | 00 |
| 6 to 7 ft   |  |       |    |
| " Mughus. Mountain Pine   |  |       |    |
| 12 to 15 in. broad  | 10 00  |       |    |
| 18 to 24 in.  |  |       |    |
| " sylvestris, Scotch Pine   |  |       |    |
| 2 to 3 ft   | 7 50   |       |    |
| 3 to 4 ft   | 10 00  |       |    |
| 4 to 5 ft   | . 15 00  |       |    |
| Pseudotsuga Douglasi elegans, Douglas Fir 4 to 4½ ft.   | . 30 00  |       |    |
| " Douglasi glauca, Blue Douglas Fir 2 to 2½ ft  | . 13 50  |       |    |

| Retinispora filifera, Thread-leaved Cypress   | Per 10  | Per 100 |
|---|---|---------|
| 12 to 18 in. 18 to 24 in. 2 to 2½ ft. 3 to 3½ ft.   | $\begin{array}{ccc} 7 & 50 \\ 12 & 50 \end{array}$          |         |
| " filiform runes Colden thread leaved Cynne   |   | 1       |
| " filifera aurea, Golden thread-leaved Cypre 18 to 24 in. 2 to 2½ ft. 3 ft.   | $15 00 \\ 20 00$  | ·       |
| 1 lycopoides $2$ to $2\frac{1}{2}$ ft   | 13 50   | -       |
| " obtusa  18 to 24 in.  2 to 2½ ft.  2½ to 3 ft.  3 to 3½ ft.   | $12 50 \\ 15 00$  | 1       |
| " obtusa compacta, Dwarf Cypress 12 to 18 in  |   | •       |
| " obtusa Crippsii, Golden Cypress  3½ to 4 ft.  4 to 5 ft.  |   |         |
| " obtusa gracilis  18 to 24 in  |   |         |
| " obtusa nana, Dwarf Cypress 12 to 15 in  |   |         |
| " pisifera  18 to 24 in.  2 to 2½ ft.  2½ to 3 ft.  | 10 00   |         |
| " pisifera aurea, Golden Cypress  12 to 18 in.  18 to 24 in.  2½ to 3 ft.  6 to 7 ft.                                   | $\begin{array}{ccc} 7 & 50 \\ 12 & 50 \end{array}$          |         |
| - plumosa, Plume-like Cypress  12 to 18 in.  18 to 24 in.  2 to 2½ ft.  5 to 6 ft.  6 to 7 ft.  7 to 8 ft.  8 to 10 ft. | $egin{array}{ccc} 7 & 50 \\ 10 & 00 \\ 25 & 00 \end{array}$ |         |



Retinispora Plumosa Aurea

The beautiful golden Retinispora is almost indispensible in evergreen planting. While of fairly rapid growth it may be kept any size desired by constant shearing, and this shearing adds to its beauty as the golden color is brightened on the new and young growth. We have a large stock of this magnificent evergreen, and in large sizes.

| Retinispora (cont.)                  | Per 10  | Per 100      |
|--------------------------------------|---------|--------------|
| " plumosa aurea, Golden Cypress      |         |              |
| 12 to 18 in                          | . 5 00  | )            |
| 18 to 24 in                          | . 7 50  | 1            |
| 2½ to 3 ft                           | . 12 50 | )            |
| 3 to 4 ft                            | . 15 00 | )            |
| 4 to 5 ft                            | . 20 00 | )            |
| 5 to 6 ft                            | . 25 00 | )            |
| 6 to 7 ft                            | . 30 00 | )            |
| 7 to 8 ft                            | . 40 00 | )            |
| 8 to 10 ft                           | . 50 00 | )·<br>-      |
| " squarrosa Veitchii, Silver Cypress |         |              |
| 12 to 18 in                          | . 5 00  | )            |
| 18 to 24 in                          | . 7 50  | <del>)</del> |
| 2½ to 3 ft                           | . 15 00 | )            |

|   | Per 10    | Per 100 |
|---|-----------|---------|
| Sciadopitys verticillata, Japanese Umbrella P | ine       |         |
| 2 to 2½ ft                                    | $22 \ 50$ |         |
| Taxus adpressa stricta, Upright Japanese Yev  | N         |         |
| 2 to 2½ ft                                    | 15 00     |         |
| $2\frac{1}{2}$ to $3$ ft                      | 17 50     |         |
| " baccata, English Yew                        |           |         |
| 2 to 2½ ft                                    | 12 50     |         |
| 3 to $3\frac{1}{2}$ ft                        | 17 50     |         |
| " baccata erecta pyramidalis                  |           |         |
| 3 ft  | 17 50     |         |
| " cuspidata, Japanese Yew                     |           |         |
| 2 to 2½ ft                                    | $12 \ 50$ |         |
| " avanidate hasvifalia Tananaga Voyy          |           |         |
| cuspidata previlona, Japanese Tew             |           |         |
| 18 by 18 in. diam                             | $20 \ 00$ |         |
| " Hibernica, Irish Yew                        |           |         |
| 3 ft  | $20 \ 00$ |         |
| 4 ft  | $30 \ 00$ |         |
| " repanda                                     |           |         |
| $2\frac{1}{2}$ by $2\frac{1}{2}$ ft. broad    | $20 \ 00$ |         |



#### Thuya occidentalia conica densa

| Thuya occidentalis, American Arbor Vitae     |       |         |           |
|--|-------|---------|-----------|
| 18 to 24 in                                  | 3     | 50      |           |
| 2 to 3 ft                                    | 5     | 00      |           |
| 4 to 5 ft                                    | 8     | 50 - 75 | 00        |
| 5 to 6 ft                                    | 12    | 50 125  | <b>00</b> |
| 6 to 7 ft                                    | 15    | 00      |           |
| " occidentalis conica densa, Cone-shaped Arl | oor   | Vitae   |           |
| 2 to 2½ ft                                   | 7     | 50      |           |
| 2½ to 3 ft                                   | 10    | 00      |           |
| 3 to 3½ ft                                   | 12    | 50      |           |
| " occidentalis George Peabody, Golden Arbor  | · Vit | ae      |           |
| 12 to 18 in                                  | 5     | 00      |           |
| 18 to 24 in                                  | 7     | 50      |           |
| 2 to 2½ ft                                   | 10    | 00      |           |
| 3 to 3½ ft                                   |       |         |           |

|  | Per 10    | Per 100    |
|--|-----------|------------|
| Thuya (Cont.)                              |           |            |
| " occidentalis Hoveyii, Hovey's Golden Ar  | bor Vita  | ae         |
| 12 to 18 in                                | 5 00      |            |
| 18 to 24 in                                | 7 50      |            |
| 2 to 2½ ft                                 | 10 00     |            |
| 2½ to 3 ft                                 | 12 50     |            |
| 3½ to 4 ft                                 | 15 00     |            |
| " occidentalis pyramidalis, Pyramidal Arbo |           |            |
| 2 to 3 ft                                  | 5 00      |            |
| 5 to 6 ft                                  | 13  50    | $125 \ 00$ |
| 6 to 7 ft                                  |           | 160 00     |
| 7 to 7½ ft                                 |           | 185 00     |
| 8 ft                                       |           | 100 00     |
| " occidentalis Vervaeneana                 | 25 00     |            |
|  | 20 00     |            |
| 6 to 7 ft Polistons Colds                  |           |            |
| Orientalis elegantissima Rollistons Golde  |           |            |
| 3 to 3½ ft                                 | 15 00     |            |
| Siberica, Siberian Arbor Vitae             | - 00      |            |
| 12 to 18 in                                | 5 00      |            |
| 18 to 24 in                                |           |            |
| 2 to 3 ft                                  |           | 75 00      |
| 3 to 4 ft                                  | $13 \ 50$ | 125 00     |
| Tsuga canadensis, Hemlock Spruce           |           |            |
| 3 to 3½ ft                                 | 15 00     | 135 00     |
| 4 to 5 ft                                  |           | 200 00     |
| 5 to 6 ft                                  |           | 275 00     |
| 6 to 8 ft                                  |           | 375 00     |
| " canadensis compacta, Dwarf Hemlock       | . 1000    | 0.0 00     |
| 3 ft. by 2 ft                              | 30 00     |            |
| " Sieboldi, Japanese Hemlock Spruce        |           |            |
| 2 to 2½ ft                                 | 20 00     |            |
| 2½ to 3 ft                                 |           |            |
| 3 ft                                       |           |            |
|  |           |            |

# Evergreen Shrubs

|   | Per 10   | Per 100   |
|---|----------|-----------|
| Andromeda Japonica, Pieris                  |          |           |
| 12 to 15 in. clumps                         | 7 50     | $65 \ 00$ |
| 18 to 24 in. clumps                         | . 10 00  | 90 00     |
| " floribunda                                |          |           |
| 12 to 15 in                                 | . 10 00  |           |
| 2 to 3 ft. fine collected clumps            | . 15 00  |           |
| Aucuba Japonica                             |          |           |
| 2 ft  | . 750    |           |
| Azalea amoena Hinodegiri, Japanese evergree | n Azalea | ì         |
| 8 to 10 in. clumps                          |          |           |
| " amoena Hinamayo, pure pink                |          |           |
| 10 to 12 in. clumps                         | . 10 00  |           |
| Buxus arborescens, Bush form                |          |           |
| 10 to 12 in                                 | . 175    | 15 00     |
| 12 to 15 in                                 | . 2 00   | 18 00     |
| 15 to 18 in                                 | . 250    | 22 00     |
| 2 ft  | . 8 50   | 85 00     |
| 3 ft  | . 40 00  | !         |
| 4 ft  |          |           |

| Buxus (Cont.) " arborescens, Pyramids       | Per                                     | 10                                      | Per | 100             |
|---|---|---|-----|-----------------|
| 2 to 2½ ft                                  | 8                                       | 50                                      |     |                 |
| 3½ ft                                       | 20                                      | 00                                      |     |                 |
| $4\frac{1}{2}$ ft                           |   | 00                                      |     |                 |
| 5½ ft                                       |   | 00                                      |     |                 |
| " Japonica aurea, Golden-leaved 18 to 24 in | 10                                      | 00                                      |     |                 |
| " suffruticosa, Dwarf Box Edging            |   |   |     |                 |
| 4 to 6 in                                   | 1                                       | $\begin{array}{c} 65 \\ 00 \end{array}$ |     | $\frac{00}{00}$ |
| Calluna vulgaris, Heath 5 inch pots         |   | 50                                      |     | 00              |
| •   | _                                       | 50                                      | 25  | UU              |
| Crataegus pyracantha Lalandi, Evergreen The | orn                                     |   |     |                 |
| 15 to 18 in                                 | 3                                       | 00                                      | 30  | 00              |
| 18 to 24 in                                 | 3                                       | 50                                      | 35  | 00              |
| $2$ to $2\frac{1}{2}$ ft                    | 5                                       | 00                                      |     |                 |
| 3 ft  | 20                                      | 00                                      |     |                 |
| Daphne cneorum, Pink 10 to 12 in. clumps    |   | 00                                      |     |                 |
| <del>-</del>                                | Ð                                       | 00                                      |     |                 |
| 12 to 15 in. clumps                         | 6                                       | 50                                      |     |                 |
| Erica stricta, Heath                        |   |   |     |                 |
| 5 inch pots                                 | 2                                       | 50                                      | 25  | 00              |
| 5 inch pots                                 | 2                                       | 50                                      | 25  | 00              |
| liex Aquifolium pyramidalis, English Holly  | _                                       | •                                       |     | 0.0             |
| 4 to 5 ft                                   | 20                                      | 00                                      |     |                 |
| cienata, Japanese nony                      |   |   |     |                 |
| 4 to 5 ft. Pyramids                         | 40                                      |   |     |                 |
| 5 to 6 ft. Pyramids                         | $\begin{array}{c} 50 \\ 60 \end{array}$ |   |     |                 |
| Kalmia latifolia, Laurel                    |   |   |     |                 |
| 18 to 24 in                                 | 6                                       | 50                                      | 60  | 00              |
| 2 to 2½ ft                                  |   | 50                                      | 80  |                 |
| Leucothaea Catesbaei                        |   |   |     |                 |
| 12 to 18 in. clumps                         | 6                                       | 00                                      |     |                 |
| Mahonia Aquifolium 12 to 18 in              | 1                                       | 25                                      | 10  | 00              |
| " Japonica, Japanese Mahonia                |   |   |     |                 |
| 12 to 18 in                                 | 3                                       | 00                                      |     |                 |
| Pieris, See Andromeda                       |   |   |     |                 |
| Rhododendron hirsutum                       |   |   |     |                 |
| 10 to 12 in. clumps                         | 9                                       | 00                                      |     |                 |
| " catawbiense                               |   |   |     | •               |
| 2 ft  | 7                                       | 50                                      | 75  | 00              |
| " Maximum                                   |   |   |     |                 |
| 2 to 3 ft. collected plants                 | 7                                       | 50                                      |     |                 |
| 3 to 4 ft. collected plants                 | 10                                      | 00                                      |     |                 |
| 4 to 5 ft. collected plants                 | 12                                      | 50                                      |     |                 |
| " Maximum roseum, Pink                      |   |   |     |                 |
| 18 to 24 in                                 | 7                                       | 50                                      | 75  | 00              |
| 12 to 15 in. clumps                         | 7                                       | 50                                      |     |                 |
| " Wilsoni<br>15 in                          | 7                                       | 50                                      |     |                 |
| 15 ln                                       |   | 90                                      |     |                 |



Hybrid Rhododendrons

The following list of Hybrid Rhododendrons are acclimated plants, having been grown in our nurseries one and two years. They are nicely set with flower buds, and are in a good, healthy condition.

| Album elegans, white  18 to 24 in            | 10 00 |
|--|-------|
| Album grandiflorum, flesh white  18 to 24 in |       |
| Boule de Neige, white 18 to 24 in            | 8,50  |
| Charles Bagley, crimson 18 to 24 in          | 8 50  |
| Everestianum, lilac rose 18 to 24 in         | 8 50  |
| Giganteum, cherry red 18 to 24 in            | 8 50  |
| Lady Armstrong, rosy crimson  18 to 24 in    |       |
| Lady Clermont, rosy crimson  18 to 24 in     |       |
| Mrs. Milner, rosy crimson  18 to 24 in       |       |

List of Rhododendrons continued on next page.

| List of Rhododendrons continued from previous | ous page               |
|---|------------------------|
| Old Port, claret red 18 to 24 in              | Per 10 Per 100<br>8 50 |
| Parson's gloriosa, soft pink 3½ to 4 ft       | 25 00                  |
| Parson's grandiflorum, rose 18 to 24 in       | 8 50                   |
| President Lincoln, soft pink 3 to 4 ft        | 25 00                  |
| Purpureum elegans, purplish rose 18 to 24 in  | 8 50                   |
| Roseum elegans, rose 18 to 24 in              |                        |
| Sig. Rucker, bright red 3 to 3½ ft            | <b>25 0</b> 0          |

# Hardy Herbaceous Perennials Ornamental Grasses and Ferns

1 25

10 00

Yucca filamentosa, Adam's Needle

4 year .....

Our Herbaceous Department is in charge of experts, men who are thoroughly trained in the growing, handling and shipping of these popular plants. By a thorough system of propagation and transplanting our stock is kept in the highest state of perfection, so that every plant we send out is young, vigorous and brought to a condition where it will give the customer the best results.

In making comparison of our prices with those of other nurseries bear in mind the fact that our plants are mostly field grown clumps and not the small divisions usually supplied by other growers.

July to September, etc., indicates the period of flowering.

| Achillea millefolium roseum, Pink Yarrow,     | Per 10       | Per 100       |
|---|--------------|---------------|
| rose, July to Sept                            | 80           | 6 00          |
| " Ptarmica piena, "The Pearl," double         |              |               |
| white, July                                   | 80           | 6 00          |
| Agrostemma coronaria, purplish-crimson, June  | 1 00         | <b>8 0</b> 0  |
| Ajuga genevensis, Bugle, blue, May            | 80           | 6 00          |
| Alyssum saxatile compactum, yellow, May       | 80           | <b>6 0</b> 0  |
| Amsonia salicifolia, blue, June               | 1 00         | <b>8 0</b> 0  |
| Anchusa Italica, Dropmore variety, dark blue, | ,            |               |
| June to Sept                                  | 1 50         | 12 0 <b>0</b> |
| Anemone Japonica alba, Windflowers, White,    |              |               |
| Sept. to Nov                                  | 1 00         | 8 00          |
| " Japonica Alice, carmine rose, SeptNov.      | 1 00         | 8 00          |
| " Japonica rosea superba, rose, Sept.—Nov.    | <b>1 0</b> 0 | 8 00          |
| " Japonica Whirlwind, white, Sept. to Nov.    | <b>1 0</b> 0 | 8 00          |
| " Japonica rubra, red, Sept. to Nov           | 1 00         | 8 00          |

|  | er 10 | 0        | Per 1 | 100 |
|--|-------|----------|-------|-----|
| Anthemis tinctoria Kelwayi, Chamomile, yellow, July  | 8     | 80       | 6     | 00  |
| Aquilegia Canadensis, Columbine, scarlet, May  |       |          |       |     |
| and June   | 1     | 00       | 8     | 00  |
| " chrysantha, yellow, June " nana plenissima, dwarf double dark                            | 1 (   | 00       | 8     | 00  |
| purple, May  | 1 (   | 00       | 8     | 00  |
| " Skinneri, red and yellow, May  | 1 (   |          | 8     | 00  |
| " vulgaris, blue and purple, May" " vulgaris fl. pl., white, May                           | 1 (   |          |       | 00  |
| Arabis albida, Rock Cress, white, April  | 1 (   | 00       | 8     | 00  |
| Armeria Laucheana, pink, May   | 1 (   |          | 8     | 00  |
| " maritima, pink, May  |       | 80       |       | 00  |
| maritima aiba, Illilli, white, may   |       | 80       |       | 00  |
| Artemisia Abrotanum, "Old Man"   |       | 80<br>80 |       | 00  |
| Asclepias tuberosa, Butterfly Plant, orange,   |       |          |       |     |
| July   | 1 (   | 00       | 8     | 00  |
| Aster alpina, bright purple, June and July   | 8     | 80       | 6     | 00  |
| " amethystinus, large pale blue, Sept  |       | 80       |       | 00  |
| " formosissima, bright violet, Sept"  " laevis, lavender, Sept                             |       | 80       |       | 00  |
| " Lil Fardil, mauve, Sept  |       | 80<br>80 |       | 00  |
| " Novae-Angliae, purple, Sept. to Oct  |       | 80       |       | 00  |
| " Novae-Angliae alba, white, Sept. to Oct  | 1     |          |       | 00  |
| " Novae-Angliae rosea, rose, Sept  |       | 80       |       | 00  |
| "Novi-Belgii Robert Parker, pale blue, Sept.   | 1 (   |          |       | 00  |
| " Novi-Belgii Edna Mercia, deep rose, Sept. " Novi-Belgii White Queen, white, Sept         | 1 (   |          |       | 00  |
| " ptarmicoides, white, Aug. to Oct   | 1     |          | 8     |     |
| " Tataricus, light purple, late fall   | 8     | 80       | 6     | 00  |
| Belamcanda Chinensis, Blackberry Lily, red orange, Aug. to Sept                            | ,     | 75       | 5     | 00  |
| Bellis perennis, mixed colors, April   |       | 80       |       | 00  |
| Betonica rosea, dwarf, pleasing pink, July   | 1 (   |          |       | 00  |
| Bocconia cordata, Plume Poppy  |       | 80       |       | 00  |
| Boltonia latisquama, Starwort, pale pink, Aug.   |       | 80       |       | 00  |
| Callirhoe involucrata, red, trailing, all summer   |       | 80       |       | 00  |
| Campanula carpatica, Bellflowers, blue, July to  | ,     | 00       | J     | 00  |
| Sept   | 1 (   | 00       | 8     | 00  |
| " carpatica alba, white, July and Sept   | 1 (   |          |       | 00  |
| " glomerata, blue, June  | 1 (   |          | _     | 00  |
| persicuona, piue, June to July   | 1 (   |          |       | 00  |
| Cassia marylandica, Senna, yellow, July  |       | 80       | 6     |     |
| Centaurea dealbata, bright rose, Aug. to Sept. "macrocephala, yellow, July                 | 1 (   | 80<br>00 |       | 00  |
| " montana, blue, June and July   | 1 (   |          | _     | 00  |
| Cerastium Biebersteinii, white, April and May  |       | 80       |       | 00  |
| " tomentosum, Snow in Summer. Mouse  | ć     | 00       | c     | 00  |
| Ear, white, April and May  |       | 80       |       | 00  |
| Clematis recta, white, July  | 1 5   |          | 12    |     |
| Convallaria majalis, Lily of Valley, Clumps<br>Coreopsis lanceolata grandiflora, Tickseed, | 2 (   |          | 15    |     |
| golden yellow, summer  | 8     | 80       | 6     | 00  |
| Coronilla varia, Crown Veitch, pink, June  | 8     | 80       | 6     | 00  |

| Delphinium Chinense, Chinese Larkspur, blue   | Per 10   | Per 100  |
|---|--|--|
| and white, June to August  " elatum, English Hybrids, Tall Larkspur,                                    | 1 00   | 8 00   |
| shades of blue, June to Aug   | $\begin{array}{cc}1&00\\1&00\end{array}$         | 8 00<br>8 00                                       |
| Dianthus barbatus, Sweet William, many colors, May and June   | 80   | 6 00   |
| " Her Majesty, white, May to June   | 1 00   | 8 00   |
| " Lord Lyons, deep pink, May and June " Perpetual Snow, white, May to August                            | $\begin{array}{cc} 1 & 00 \\ 1 & 00 \end{array}$ | 8 00<br>8 00                                       |
| Dicentra spectabilis, Bleeding Heart, pink, April and May   | 1 50   | 10 00  |
| Dictamnus fraxinella, Gas Plant, red, June "fraxinella alba, white, June                                | $\begin{array}{cc}2&00\\2&00\end{array}$         | $\begin{array}{cc} 15 & 00 \\ 15 & 00 \end{array}$ |
| Digitalis purpurea, Fox Glove, purple, May and June   | . 1 00   | 8 00 8 00  |
| Doronicum plantagineum excelsum, Leopard's Bane, yellow, April to June                                  | 1 00   | 8 00   |
| Echinacea purpurea, Cone Flower, pink, July   | 1 00   | 8 00   |
| Eupatorium ageratoides, Hardy Ageratum, white, September  | 1 00<br>1 00                                     | 8 00<br>8 00                                       |
| Funkia coerulea, Plantain Lilies, blue, July  " cordifolia, blue, August                                | 80<br>80   | $\begin{array}{cc} 5 & 00 \\ 6 & 00 \end{array}$   |
| " lancifolia, blue, July<br>" ovata   | 80<br>80   | $\begin{array}{ccc} 6 & 00 \\ 6 & 00 \end{array}$  |
| <ul><li>subcordata grandiflora, white, August</li><li>undulata variegata, white foliage</li></ul>       | 1 50<br>1 00                                     | 10 00<br>8 00                                      |
| Gaillardia grandiflora, Blanket Flower, yellow and crimson  | 80   | 6 00   |
| " grandiflora compacta, yellow and crimson, July to Sept  | 80   | 6 00   |
| Geum Heldrichi, orange, June and July   | 1 00   | 8 00   |
| Gypsophila cerastioides, white, June<br>" paniculata, Baby's Breath, white, July and                    | 1 00   | 8 00   |
| August  | $\begin{array}{cc} 1 & 00 \\ 1 & 00 \end{array}$ | $\begin{array}{c} 8 & 00 \\ 8 & 00 \end{array}$    |
| " Rokejeka  | 1 00   | 8 00   |
| Helenium autumnale superbum, Sneezewort, clear yellow, August   | 1 00   | 8 00   |
| " autumnale rubrum, reddish brown, Aug. " Hoopesii, orange, June to July                                | $\begin{array}{cc} 1 & 00 \\ 1 & 00 \end{array}$ | 8 00<br>8 00                                       |
| Helianthus decapetalus multiflorus Soliel d'Or,   | 1 00   | 8 00   |
| double yellow, Aug. and Sept  doronicoides, yellow, July and August  "directors yellow August and Sept. | 80   | 6 00   |
| " laetiflorus, yellow, August and Sept  | 80<br>80   | $\begin{array}{cc} 6 & 00 \\ 6 & 00 \end{array}$   |
| " multiflora maxima, single yellow " Maximilliana, yellow, Sept. and Oct                                | 80<br>80   | $\begin{array}{cc} 6 & 00 \\ 6 & 00 \end{array}$   |
| " mollis, yellow, September" " orgyalis, yellow, September,   | 80<br>80   | 6 00   |
| " rigidus Miss Mellish, yellow, August  | 80   | 6 00   |
| Heliopsis Pitcheriana, orange, June to August "scabra major   | 80<br>80   | 6 00<br>6 00                                       |
|   |  |  |

| Hamanaglia Dumantianii Day Liliag aranga                         | Per  | 10         | Per | 100       |
|--|------|------------|-----|-----------|
| Hemerocallis Dumortierii, Day Lilies, orange,                    |      | 00         | 0   | 00        |
| June   |      | 00         |     | 00        |
| " flava, lemon yellow, June  " fulva, bronze, August             | 1    | 80         |     | 00        |
| " fulva fl. pl., bronze double, August                           |      | 80         |     | 00        |
| " Middendorfi, chrome yellow, May                                |      | 80         |     | 00        |
| "rutilans, orange, May and June                                  | 1    | 00         |     | 00        |
| Hollyhock, double, separate colors, June to                      |      | 00         | 0   | 0.0       |
| Aug  | 1    | 00<br>80   |     | 00        |
| Iberis sempervirens, Candytuft, white, April                     | 1    | 00         | 8   | <b>00</b> |
| Inula Brittanica Elecampane, yellow, July                        | 1    | 00         | 8   | 00        |
| Iris Cengialti, deep lavender, May and June                      |      | 80         | 6   | 00        |
| " florentina, Orris Root, white, May                             |      | 80         |     | 00        |
| " Germanica, German Iris, best assorted                          |      | 80         | 6   | 00        |
| LIST OF VARIETIES OF IRIS GERM                                   | 1ANI | CA         |     |           |
| Alexander Von Humboldt. Light blue sel                           | f.   |            |     |           |
| Celeste. Delicate blue self. Coelestine. Pretty lavender self.   |      |            |     |           |
| Flavescens. Light yellow.  |      |            |     |           |
| Josephine. The best dark purple.                                 |      |            |     |           |
| Lady Frances. Delicate lavender.                                 |      |            |     |           |
| Lady Stumpp. Standards lavender, falls                           | blue | <b>:</b> - |     |           |
| Lilaceous. Lavender and bronze.                                  |      |            |     |           |
| Mad. Chereau. White fringed blue.                                |      |            |     |           |
| Marie. Lavender.<br>Purpurea. Rich purple.                       |      |            |     |           |
| Silver King. Silvery white self.                                 |      |            |     |           |
| dris laevigata (Kaempferi), Japanese Iris, in                    |      |            |     |           |
| fine assorted named kinds, July                                  | 1    | 00         | 8   | 00        |
| " ochroleuca gigantea, sulphur vellow                            |      | 80         | б   | 00        |
| " pseud-acorus, yellow, May                                      |      | 80         |     | 00        |
| " pumila, Dwarf Iris, Various, April                             |      | 80         |     | 00        |
| "Siberica, blue, June  |      | 80         | 6   | 00        |
| Siberica offentale, Siberian 1118, indigo                        | -    | 00         | 0   | 00        |
| blue, June   | T    | 00<br>80   |     | 00<br>00  |
| otonophy ita, siao, o alao i i i i i i i i i i i i i i i i i i i |      |            |     | 00        |
| Meehan's Mallow Marve  | l.   |            |     |           |
|  |      |            |     |           |
| Prices for Strong 2 Year Roots Red Mallows                       |      | 50         | 95  | 00        |
| Pink Mallows   |      | 50         |     | 00        |
| White Mallows  |      | 50         |     | 00        |
| Prices for Strong 3 Year Roots                                   | \$   |            |     |           |
| Red Mallows  |      | 00         | 40  | 00        |
| Pink Mallows   |      | 00         |     | 00        |
| White Mallows  | 2    | 00         | 15  | 00        |
| Lamium purpureum variegatum, pink, May                           |      | 80         | 6   | 00        |
| Lathyrus grandiflorus, Perennial Pea, pink                       |      |            |     |           |
| and white, June to August  | 1    | 00         | 8   | 00        |
| Lavandula vera, Sweet Lavender, July-Aug                         | 1    | 00         | 8   | 00        |
| Liatris pycnostachia, Blazing Star, purple, Aug.                 |      |            | _   |           |
| and Sept   |      | 80         | 6   | 00        |
|  |      |            |     |           |

### Lilies

Our lilies are pot grown for spring delivery and will give a good supply of flowers this year.

|   | $\mathbf{Per}$ | 10              | Per 100                       |
|---|----------------|-----------------|-------------------------------|
| Lilium auratum, Gold-banded lily of Japan,  |                |                 |                               |
| white spotted, July   |                | 00              | 15 00                         |
| candidum, white, May, June  |                | 50              | 12 00                         |
| " elegans, yellow, July and Aug   | 1              | 50              | <b>12</b> 00                  |
| " speciosum album, white, Aug. and Sept., pot grown                               | 9              | 00              | 15 00·                        |
| " speciosum roseum, rose, Aug. and Sept.,   | 4              | UU              | 19 00                         |
| pot grown   | 2              | 00              | 15 00                         |
| " superbum, orange red, July and Aug., pots                                       | _              | 50              | 12 00                         |
| " tigrinum splendens, Tiger Lily, orange  |                |                 |                               |
| spotted, Aug., pot grown  | 1              | 50              | $12 \ 00$                     |
| Linum perenne, Flax, blue, June   | 1              | 00              | 8 00                          |
| Lobelia cardinalis, Cardinal Flower, scarlet,                                     |                |                 |                               |
| Aug. and Sept   | 1              | 00              | 8 00                          |
| Lychnis chalcedonica, Scarlet Lightning, scar-                                    |                |                 |                               |
| let, July   | 1              | 00              | 8 00                          |
| " Flos-cuculi, Ragged Robin, red, May   |                | 80              | 6 00                          |
| Lysimachia clethroides, Loosestrife, white,                                       |                |                 |                               |
| July to Sept  |                | 80              | 6 00                          |
| Lythrum salicaria, purple, June and July  |                | 80              | 6 00                          |
| " roseum superbum, purple, June and July.   | 1              | 00              | 8 00                          |
| Monarda didyma, Cambridge scarlet, Berga-   |                |                 |                               |
| mot, Aug. to Sept   | 1              | 00              | 8 00                          |
| " fistulosa alba, white, Aug. and Sept  |                | 80              | 6 00                          |
| " fistulosa purpurea, purple, Aug. and Sept.                                      |                | 80              | 6 00                          |
| monis, pink, Aug. and Sept  |                | 80              | 6 00                          |
| Myosotis palustris semperflorens, Forget-Me-                                      |                |                 |                               |
| Not, blue, April and May  | 1              | 00              | 8 00                          |
| Nepeta Glechoma variegata, Ground Ivy, blue,                                      |                | F 0             | 4 00                          |
| April and May   |                | 50              | 4 00                          |
| yellow, July and Aug  |                | 80              | 6 00                          |
| " speciosa, large white, June and July  |                | 80              | 6 00                          |
| "Youngii, yellow, June to Sept  |                | 80              | 6 00                          |
| Paeony Alice, bright, clear rose changing to                                      |                |                 |                               |
| white   | $^{2}$         | 00              | $15 \ 00^{\circ}$             |
| " Duchess de Nemours, sulphur white, a  | _              |                 |                               |
| grand paeony  |                | 00              | 40 00                         |
| restiva maxima, the best white  |                | $\frac{00}{00}$ | 25 00°<br>15 00°              |
| " Grandiflora rosea, full rosy-pink " Jennie Blake, bright rosy-crimson           |                | 00              | 15 00°<br>25 00°              |
| " Leslie, deep rose, large and full   |                | 00              | $\frac{25}{25} \frac{00}{00}$ |
| " Lutctiana, white flushed pink   | _              | 00              | 25 00                         |
| " Meissonier, purplish-crimson  |                | 00              | 40 00                         |
| " Reine des Français, rose, center petals   |                |                 |                               |
| shaded sulphur  | 4              | 00              | $35 \ 00^{\circ}$             |
| Robert Burns, purphsh-rose, center petals   | _              | •               | 40.00                         |
| tipped white  |                | 00              | 40 00                         |
| Papaver nudicaule, Iceland Poppies, white, ye                                     |                | •               | 0.00                          |
| low and orange  | _              | 00              | 8 00                          |
| " Orientale, Oriental Poppies, crimson, June " Orientale Livermore, crimson, June | _              | 00              | 8 00                          |
| " Orientale Princess Ena, light orange sal-                                       | 1              | UU              | 8 00                          |
| ( mon, June   | 1              | 50              | 10.00                         |
| " Orientale Royal Scarlet, scarlet, June  |                | 00              | 8 00                          |
|   |                |                 |                               |

80 6 09

| Dresher, Montgomery Co., Pa.  |                |                            |             | 55                               |
|---|----------------|----------------------------|-------------|----------------------------------|
| Pentstemon diffusus, blue, June   |                | 80<br>80<br>80<br>80<br>80 | 6<br>6<br>6 | 00<br>00<br>00<br>00<br>00<br>00 |
| LIST OF VARIETIES OF GARDEN PHLOX   | EC             | US                         | SATA        |                                  |
| Baron Van Dedem, Cochineal-red, with salt Champs Elysees. Rich purplish crimson. Embrazement, Orange-scarlet. Epopee. Violet, bright flery center. Gen. Chanzy. Orange scarlet. Lord Raleigh. Dark violet. Lothair. Salmon, cardinal eye. Mad. P. Langier. Bright red, vermillion centres. Jenkins, Creamy white. Pacha. Deep pink. Queen. Pure white. Richard Wallace, White, violet-carmine centre. William Robinson. Tall salmon pink. | e <b>n</b> te: | r.                         | ading       | •                                |
| Phlox subulata rosea, Creeping Phlox, pink April and May  " subulata Sadie, lavender, April and May   |                | 80<br>80                   |             | 00<br>00                         |
| Physostegia denticulata, lilac, July and Aug  "Virginica, Obedient Plant, lilac, Aug  "Virginica alba, white, Aug. and Sept   | 1              | 80<br>80<br>00             | 6           | 00<br>00<br>00                   |
| Platycodon grandiflora, Japanese Bellflowers, blue, July to Oct.  "Mariesii, blue, dwarf, July to Oct.  "Mariesii alba, white, July to Oct.   | 1              | 00<br>00<br>00             | 8<br>8      | 00<br>00<br>00                   |
| Polemonium reptans, Jacob's Ladder, blue, May "Richardsoni, blue, May Polygonum cuspidatum, white, August, Sept.  |                | 80<br>80<br>80             | õ           | 00<br>00                         |
| " compactum, dwarf white, Aug. and Sept.  | 1              | 00                         |             | 00                               |
| Primula Polyanthus, various, May  |                | 00                         |             | 00                               |
| Pyrethrum uliginosum, White Daisy, Sept Ranunculus acris fl. pl., Double Buttercup, June " speciosus fl. pl., Double Butercup, white, May and June  |                | 00<br>80<br>00             | 6           | 00<br>00                         |
| Rudbeckia fulgida, Black Eyed Susan, golden, yellow, July and August  " laciniata, Golden Glow, yellow, Aug " Newmanni, Black Eyed Susan, golden yellow, July and August  |                | 80<br>80                   | 6           | 00<br>00<br>00                   |
| Salvia azurea grandiflora, blue, Aug  | 1              | 00                         |             | 00                               |
| Santolina incana, Lavender Cotton<br>Saponaria officinalis fl. pl., Bouncing Bet, pink-   |                | 80                         | 6           | 00                               |
| ish white, Aug. and Sept  |                | 80                         |             | 00                               |
| Sedum Hispanicum, pink, June and July "hybridum, yellow, July and Sept  |                | 80<br>80                   |             | 00                               |
| " Rhodiola, pink  |                | 80                         | 6           | 00                               |
| " sexangulare, yellow, June and July  | -1             | 80                         | -           | 00                               |
| " spectabilis, pink, Aug. and Sept  |                | 00<br>50                   | 10          | 00                               |
| Sievrinchium Rermudianum Star Grass hlue  | -              | 50                         | 1.0         | 50                               |

Sisyrinchium Bermudianum, Star Grass, blue,
May .....

|   | Per 1         | Δ        | Per 1 | .00             |
|---|---------------|----------|-------|-----------------|
| Spiraea astilboides, white, May                     | 1             |          | 8     | 00              |
| " Japonica, white, May                              | $\hat{1}$     |          | 8     |                 |
| " Lemoinei pyramidalis, white, May                  | 1             | 00       | 8     | 00              |
| " lobata-venusta, pink, June                        | 1             |          |       | 00              |
| multinora compacta, white, may and June             | 1             |          |       | 00              |
| paimatum elegans, pink, June                        | 1             | 00       | 8     | 00              |
| " ulmaria alba plena, double white, June and July   |               | 80       | 6     | 00              |
| Stachys lanata, Silver foligae                      |               |          | _     | 00              |
|   |               | 80       | _     |                 |
| Statice latifolia, Sea Lavender, Aug                | 1             |          |       | 00              |
| Stokesia cyanea, Stokes Aster, blue                 |               | 80       |       | 00              |
| Teucrium Canadensis, pink, July to Aug.             |               | 80       | 6     | 00              |
| Thalictrum glaucum, handsome foliage                | 1             | 00       | 8     | 00              |
| Tradescantia Virginica, Spider Wort, blue           |               | 80       | 6     | 00              |
| " Virginica alba, white, May, July                  |               | 80       | -     | 00              |
| " Virginica purpureum, purple, May to July          | 1             | 00       | 8     | 00              |
| Tritoma uvaria Pfitzeri, coral, July to Oct         | 1 :           | 25       | 10    | 00              |
| Valeriana officinalis, light pink, June to July     | 1             | 00       | 8     | 00              |
| Vernonia Jamesii, Iron Weed, purple, Aug and        | l             |          |       |                 |
| Sept  | 1             | 00       | 8     | $00 \cdot$      |
| Veronica candida, Speedwell, silvery foliage,       |               |          |       |                 |
| blue flowers, June and July                         |               | 80       |       | 00              |
| " circaeoides, blue, June                           |               | 80       |       | 00              |
| wontana, blue, June and July                        | 1             | 80       |       | $\frac{00}{00}$ |
| virginica, white, July and August                   | _             |          |       |                 |
| Vinca minor, Periwinkle, 3 in. pots                 |               | 75       | О     | 00              |
| Viola odorata, Blue, Sweet Violet, April and        |               | 00       | 0     | 00              |
| May   | 1             | 00       | 8     | 00              |
| Hardy Ferns   |               |          |       |                 |
| Haruy Terms   |               |          |       |                 |
| Aspidium acrostichoides, Christmas Fern             |               | 80       | 6     | $00 \cdot$      |
| " marginale, Marginal Fern                          | :             | 80       | 6     | $00 \cdot$      |
| " spinulosum  | ;             | 80       | 6     | 00-             |
| Asplenium angustifolium, Narrow-leaved              |               |          |       |                 |
| Spleenwort  |               | 80       | 6     | <b>00</b>       |
|   |               | 0.0      | 0     | 0.0             |
| Onoclea sensibilis, Sensitive Fern                  |               | 80<br>80 |       | 00              |
| " Struthiopteris, Ostrich Fern                      |               |          |       | 00              |
| Osmunda cinnamomea, Cinnamon Fern                   | $\frac{1}{1}$ |          |       | 00              |
| " Claytoniana, Flowering Fern" " regalis, King Fern | 1             |          | 12    |                 |
| regains, ming rein                                  |               | 60       |       | 00              |
| Polypodium hexagonopterum                           |               | 60       |       | 00              |
| <u> </u>  |               | 60       |       | 00,             |
| Pteris aquilina, Brake or Bracken                   | ,             | UU       | U     | 00              |
| Hardy Grasses                                       |               |          |       |                 |
| Tlatuy Grasses                                      |               |          |       |                 |
| Bambusa Metake, Evergreen Bamboo                    | 2             | 50       |       |                 |
| Calamagrostis stricta variegata                     |               | 80       | 6     | 99.             |
| Eulalia Japonica, False Pampas Grass                | 2             |          | 15    |                 |
| " Japonica gracillima                               | $\frac{1}{2}$ |          |       | 00              |
| " Japonica variegata, green and white               | 9             |          |       |                 |
| striped   | 2 (           | 00       | 15    | 00.             |
| " JaponicaZebrina, green barred with                |               | ^^       | 4 -   | 0.0             |
| bronze, yellow                                      | 2 (           | υU       | 15    | 00*             |
|   |               |          |       |                 |

#### **BUDDING KNIVES**



#### **BUDDING KNIFE "D"**

Next to the "Special" here is the knife for budders. Has a cocoa handle, a razor steel blade which closes, and the end of the handle is tapered to form a wedge for raising the bark.

Price, 35c. each; 6 for \$2.00




#### BUDDING KNIFE "C"

For anyone wanting a budding knife with a stationary blade, we recommend this knife to contain steel of high temper equal to any razor.

Price, 25c. each; 6 for \$1.30

# THE "HANDY" TREE CALLIPER



#### THE "HANDY JR." TREE CALLIPER

Exactly like the above, but callipers only from 2-16 inch up to 1 inch.

Price, 65 cents each


# "RED STAR" BRAND RAFFIA

"Red Star" Brand Raffia is the best all around grade of Raffia on the market. It is a guaranteed quality of good color and strength and at a most reasonable price. For general purposes it is unequaled. Its sales every year are greater than all other brands.

#### PRICES:

| ) lbs. & up @ 10 cts. per | lb.   |
|---------------------------|---|
|                           |   |
|                           |   |
| ales & up @ 814 cts. per  |   |
| )                         | ale & up @ 8½ cts.per<br>ales & up @ 8% cts.per |

You should have our Catalogue of Tree Seeds. Write for copy



### Meehan's Mallow Marvels

SINCE the introduction of our Mallows several years ago, thousands of them have been widely distributed over the entire country and have given the utmost satisfaction. They are now specified in planting lists by Landscape Engineers, Superintendents of Parks and Cemeteries.

It makes a vigorous growth—strong roots making a bushy clump five to seven feet in one season and blooming profusely from midsummer to frost. Being an herbaceous plant it dies to the ground in the fall, shooting from the root again the following spring.

The flowers measure from eight to twelve inches in diameter, and are sold in separate colors, in red, pink

and white.

The plant is extremely hardy, having been tested and grown in all parts of the United States and Canada.

It grows naturally in moist ground but thrives equally as well in any good, rich soil.

Beware of Imitations offered under other names.

### THOMAS MEEHAN & SONS

Wholesale Nurserymen
DRESHER, - PENNA.